



**ARNO BEARING INT'L LIMITED**

Address: Garden Road, Licheng District, Jinan

State: SHANDONG, CHINA

Tel: 0531-67615488

Web: [www.arnobearing.com](http://www.arnobearing.com)

Email: [info@arnobearings.com](mailto:info@arnobearings.com)

**ARNO BEARING INT'L LIMITED IS ONE OF THE LEADING GLOBAL SUPPLIERS OF BEARINGS IN CHINA. WE HAVE BEEN SUPPORTING BEARINGS AND INDUSTRIAL SERVICE FOR 10 YEARS.**

**ARNO BEARINGS ARE WIDELY USED IN RAILWAY, MINING, MECHANICAL EQUIPMENT, AUTOMOTIVE, METALLURGY, ELECTRIC POWER, AGRICULTURE, TEXTILE AND AVIATION, ETC**

*TYPES AS :*

*-DEEP GROOVE BALL BEARINGS*

*-TAPERED ROLLER BEARINGS*

*-SPHERICAL ROLLER BEARINGS*

*-CYLINDRICAL ROLLER BEARINGS*

*-SELF-ALIGNING ROLLER BEARINGS*

*-ANGULAR CONTACT BALL BEARINGS*

*-PILLOW BLOCK BEARINGS, ETC.*



**WE ARE LOOKING FOR LONG TERM BUSINESS RELATIONSHIP  
AND HOPE WE CAN GET REPLY IN SOONEST TIME.**





# Deep Groove Ball Bearing

Bearing No.	Boundary dimensions				Basic load ratings (kN)		Limiting speed		Mass
	mm				Dynamic	Static	rpm		Kg
	d	D	B	r <sub>s min</sub>	Cr	Cor	Grease	Oil	≈
<b>6000</b>	10	26	8	0.3	4.58	1.98	29000	34000	0.019
<b>6001</b>	12	28	8	0.3	5.1	2.38	26000	30000	0.022
<b>6002</b>	15	32	9	0.3	5.58	2.85	22000	26000	0.031
<b>6003</b>	17	35	10	0.3	6	3.25	20000	24000	0.04
<b>6004</b>	20	42	12	0.6	9.38	5.02	18000	21000	0.068
<b>6005</b>	25	47	12	0.6	10	5.85	15000	18000	0.078
<b>6006</b>	30	55	13	1	13.2	8.3	13000	15000	0.11
<b>6007</b>	35	62	14	1	16.2	10.5	12000	14000	0.148
<b>6008</b>	40	68	15	1	17.2	11.8	10000	12000	0.185
<b>6009</b>	45	75	16	1	21	14.8	9200	11000	0.23
<b>6010</b>	50	80	16	1	22	16.2	8400	9800	0.258
<b>6011</b>	55	90	18	1.1	30.2	21.8	7700	9000	0.362
<b>6012</b>	60	95	18	1.1	31.5	24.2	7000	8300	0.385
<b>6013</b>	65	100	18	1.1	30.5	25.2	6500	7700	0.435
<b>6014</b>	70	110	20	1.1	38.1	30.9	6100	7100	0.602
<b>6015</b>	75	115	20	1.1	39.6	33.5	5700	6700	0.638
<b>6016</b>	80	125	22	1.1	47.6	39.8	5300	6200	0.85
<b>6017</b>	85	130	22	1.1	49.5	43.1	5000	5900	0.89
<b>6018</b>	90	140	24	1.5	58.2	49.7	4700	5600	1.16
<b>6019</b>	95	145	24	1.5	60.4	53.9	4500	5300	1.21
<b>6020</b>	100	150	24	1.5	60.2	54.2	4200	5000	1.25
<b>6021</b>	105	160	26	2	72.3	65.8	4000	4700	1.59
<b>6022</b>	110	170	28	2	82	73	3800	4500	1.96
<b>6024</b>	120	180	28	2	85	79.5	3500	4100	2.07
<b>6026</b>	130	200	33	2	106	101	3200	3800	3.16
<b>6028</b>	140	210	33	2	110	109	3000	3500	3.35
<b>6030</b>	150	225	35	2.1	126	126	2800	3200	4.08
<b>6032</b>	160	240	38	2.1	143	144	2600	3000	5.05
<b>6034</b>	170	260	42	2.1	168	172	2400	2800	6.76
<b>6036</b>	180	280	46	2.1	189	199	2300	2700	8.8
<b>6038</b>	190	290	46	2.1	197	215	2100	2500	9.18
<b>6040</b>	200	310	51	2.1	218	243	2000	2400	11.9
<b>6200</b>	10	30	9	0.6	5.1	2.38	25000	30000	0.032
<b>6201</b>	12	32	10	0.6	6.82	3.05	22000	26000	0.035



<b>6202</b>	15	35	11	0.6	7.65	3.72	19000	23000	0.045
<b>6203</b>	17	40	12	0.6	9.58	4.78	18000	21000	0.064
<b>6204</b>	20	47	14	1	12.8	6.65	16000	18000	0.103
<b>6205</b>	25	52	15	1	14	7.88	13000	15000	0.127
<b>6206</b>	30	62	16	1	19.5	11.5	11000	13000	0.2
<b>6207</b>	35	72	17	1.1	25.5	15.2	9800	11000	0.288
<b>6208</b>	40	80	18	1.1	29.5	18	8700	10000	0.368
<b>6209</b>	45	85	19	1.1	31.5	20.5	7800	9200	0.416
<b>6210</b>	50	90	20	1.1	35	23.2	7100	8300	0.463
<b>6211</b>	55	100	21	1.5	43.4	29.4	6400	7600	0.607
<b>6212</b>	60	110	22	1.5	52.4	36.2	6000	7000	0.783
<b>6213</b>	65	120	23	1.5	57.2	40.1	5500	6500	0.99
<b>6214</b>	70	125	24	1.5	62.2	44.1	5100	6000	1.07
<b>6215</b>	75	130	25	1.5	67.4	48.3	4800	5600	1.18
<b>6216</b>	80	140	26	2	72.7	53	4500	5300	1.4
<b>6217</b>	85	150	28	2	84	61.9	4200	5000	1.79
<b>6218</b>	90	160	30	2	96.1	71.5	4000	4700	2.15
<b>6219</b>	95	170	32	2.1	109	81.9	3700	4400	2.62
<b>6220</b>	100	180	34	2.1	122	93.1	3500	4200	3.14
<b>6221</b>	105	190	36	2.1	133	105	3400	4000	3.7
<b>6222</b>	110	200	38	2.1	144	117	3200	3800	4.36
<b>6224</b>	120	215	40	2.1	155	131	2900	3400	5.15
<b>6226</b>	130	230	40	3	167	146	2700	3100	5.82
<b>6228</b>	140	250	42	3	166	150	2500	2900	7.57
<b>6230</b>	150	270	45	3	176	168	2300	2700	9.41
<b>6232</b>	160	290	48	3	185	186	2100	2500	11.7
<b>6234</b>	170	310	52	4	212	223	2000	2400	14.5
<b>6236</b>	180	320	52	4	227	241	1900	2200	15.1
<b>6238</b>	190	340	55	4	255	281	1800	2100	18.2
<b>6240</b>	200	360	58	4	269	310	1700	2000	21.6
<b>6244</b>	220	400	65	4	297	365	1500	1800	30.2
<b>6300</b>	10	35	11	0.6	7.65	3.48	23000	27000	0.053
<b>6301</b>	12	37	12	1	9.72	5.08	20000	24000	0.061
<b>6302</b>	15	42	13	1	11.5	5.42	17000	21000	0.08
<b>6303</b>	17	47	14	1	13.5	6.58	16000	19000	0.109
<b>6304</b>	20	52	15	1.1	15.8	7.88	14000	17000	0.142
<b>6305</b>	25	62	17	1.1	22.22	11.5	12000	14000	0.219
<b>6306</b>	30	72	19	1.1	27	15.2	10000	12000	0.349
<b>6307</b>	35	80	21	1.5	33.2	19.2	8800	10000	0.455
<b>6308</b>	40	90	23	1.5	40.8	24	7800	9200	0.639



<b>6309</b>	45	100	25	1.5	52.8	31.8	7000	8200	0.873
<b>6310</b>	50	110	27	2	62	38.3	6400	7500	1.07
<b>6311</b>	55	120	29	2	71.6	45	5800	6800	1.37
<b>6312</b>	60	130	31	2.1	81.9	52.2	5400	6300	1.7
<b>6313</b>	65	140	33	2.1	92.7	59.9	4900	5800	2.08
<b>6314</b>	70	150	35	2.1	104	68.2	4600	5400	2.52
<b>6315</b>	75	160	37	2.1	113	77.2	4300	5000	3.02
<b>6316</b>	80	170	39	2.1	123	86.7	4000	4700	3.59
<b>6317</b>	85	180	41	3	133	96.8	3800	4500	4.23
<b>6318</b>	90	190	43	3	143	107	3600	4200	4.91
<b>6319</b>	95	200	45	3	153	119	3300	3900	5.67
<b>6320</b>	100	215	47	3	173	141	3200	3700	7
<b>6321</b>	105	225	49	3	184	153	3000	3600	8.05
<b>6322</b>	110	240	50	3	205	180	2900	3400	9.54
<b>6324</b>	120	260	55	3	207	185	2600	3100	12.4
<b>6326</b>	130	280	58	4	229	214	2400	2800	15.3
<b>6328</b>	140	300	62	4	253	246	2200	2600	18.5
<b>6330</b>	150	320	65	4	274	284	2100	2400	22
<b>6332</b>	160	340	68	4	278	286	1900	2300	26
<b>6334</b>	170	360	72	4	325	355	1800	2100	30.7
<b>6336</b>	180	380	75	4	355	405	1700	2000	35.6
<b>6338</b>	190	400	78	5	355	415	1600	1900	41
<b>6340</b>	200	420	80	5	410	500	1500	1800	46.3
<b>6344</b>	220	460	88	5	410	520	1400	1600	60.8
<b>60/1.5</b>	1.5	6	2.5	0.15	274	86	71,000	84,000	0.35
<b>602</b>	2	7	2.8	0.15	380	125	62,000	73,000	0.54
<b>60/2.5</b>	2.5	8	2.8	0.15	550	174	56,000	66,000	0.72
<b>603</b>	3	9	3	0.15	635	219	50,000	59,000	0.92
<b>604</b>	4	12	4	0.2	970	360	43,000	51,000	2.1
<b>605</b>	5	14	5	0.2	1,330	505	39,000	46,000	3.5
<b>606</b>	6	17	6	0.3	2,190	865	35,000	42,000	6
<b>607</b>	7	19	6	0.3	2,240	910	34,000	40,000	8
<b>608</b>	8	22	7	0.3	3,350	1,400	32,000	37,000	12
<b>609</b>	9	24	7	0.3	3,400	1,450	31,000	36,000	14
<b>623</b>	3	10	4	0.15	640	224	50,000	58,000	1.6
<b>624</b>	4	13	5	0.2	1,310	490	42,000	49,000	3.2
<b>625</b>	5	16	5	0.3	1,760	680	37,000	44,000	4.8
<b>626</b>	6	19	6	0.3	2,340	885	34,000	40,000	8.1
<b>627</b>	7	22	7	0.3	3,350	1,400	32,000	37,000	13
<b>628</b>	8	24	8	0.3	4,000	1,590	31,000	36,000	17



<b>629</b>	9	26	8	0.6	4,550	1,960	30,000	35,000	20
<b>67/2.5</b>	2.5	5	1.5	0.08	153	59	70,000	82,000	0.11
<b>673</b>	3	6	2	0.08	242	94	60,000	71,000	0.2
<b>674</b>	4	7	2	0.08	222	88	54,000	63,000	0.28
<b>675</b>	5	8	2	0.08	217	91	49,000	57,000	0.32
<b>676</b>	6	10	2.5	0.1	465	196	43,000	51,000	0.65
<b>677</b>	7	11	2.5	0.1	555	269	40,000	47,000	0.67
<b>678</b>	8	12	2.5	0.1	515	252	38,000	45,000	0.75
<b>679</b>	9	14	3	0.1	920	465	36,000	42,000	1.4
<b>681</b>	1	3	1	0.05	80	22	120,000	140,000	0.05
<b>68/1.5</b>	1.5	4	1.2	0.15	102	29	88,000	100,000	0.07
<b>682</b>	2	5	1.5	0.08	171	51	74,000	87,000	0.13
<b>68/2.5</b>	2.5	6	1.8	0.08	209	73	65,000	76,000	0.22
<b>683</b>	3	7	2	0.1	390	130	58,000	68,000	0.33
<b>684</b>	4	9	2.5	0.15	640	224	49,000	57,000	0.67
<b>685</b>	5	11	3	0.15	715	282	43,000	51,000	1.1
<b>686</b>	6	13	3.5	0.15	1,080	440	39,000	46,000	1.9
<b>687</b>	7	14	3.5	0.15	1,170	505	37,000	44,000	2.1
<b>688</b>	8	16	4	0.2	1,610	715	35,000	41,000	3.1
<b>689</b>	9	17	4	0.2	1,720	820	33,000	39,000	3.2
<b>6800</b>	10	19	5	0.3	1.83	0.925	32000	38000	0.005
<b>6801</b>	12	21	5	0.3	1.92	1.04	29000	35000	0.006
<b>6802</b>	15	24	5	0.3	2.08	1.26	26000	31000	0.007
<b>6803</b>	17	26	5	0.3	2.81	1.72	24000	28000	0.008
<b>6804</b>	20	32	7	0.3	4	2.47	21000	25000	0.019
<b>6805</b>	25	37	7	0.3	4.3	2.95	18000	21000	0.022
<b>6806</b>	30	42	7	0.3	4.7	3.65	15000	18000	0.026
<b>6807</b>	35	47	7	0.3	4.9	4.05	13000	16000	0.029
<b>6808</b>	40	52	7	0.3	4.95	4.2	12000	14000	0.033
<b>6809</b>	45	58	7	0.3	6.2	5.4	11000	12000	0.04
<b>6810</b>	50	65	7	0.3	6.6	6.1	9600	11000	0.052
<b>6811</b>	55	72	9	0.3	8.8	8.1	8700	10000	0.083
<b>6812</b>	60	78	10	0.3	11.5	10.6	8000	9400	0.104
<b>6813</b>	65	85	10	0.6	11.9	11.5	7400	8700	0.126
<b>6814</b>	70	90	10	0.6	12.1	11.9	6900	8100	0.134
<b>6815</b>	75	95	10	0.6	12.5	12.9	6400	7600	0.142
<b>6816</b>	80	100	10	0.6	12.7	13.3	6000	7100	0.15
<b>6817</b>	85	110	13	1	18.7	19	5700	6700	0.266
<b>6818</b>	90	115	13	1	19	19.7	5400	6300	0.279
<b>6819</b>	95	120	13	1	19.3	19.7	5000	5900	0.705



<b>6820</b>	100	125	13	1	19.6	21.2	4800	5600	0.309
<b>6821</b>	105	130	13	1	19.8	23.9	4600	5400	0.324
<b>6822</b>	110	140	16	1	28.1	30.7	4300	5100	0.606
<b>6824</b>	120	150	16	1	29	33	4000	4700	0.655
<b>6826</b>	130	165	18	1.1	36.9	41.2	3700	4300	0.939
<b>6828</b>	140	175	18	1.1	38.2	44.4	3400	4000	1
<b>6830</b>	150	190	20	1.1	47.8	54.9	3100	3700	1.4
<b>6832</b>	160	200	20	1.1	48.5	57	2900	3400	1.23
<b>6834</b>	170	215	22	1.1	60	70.5	2700	3200	1.63
<b>6836</b>	180	225	22	1.1	60.5	73	2600	3000	2.03
<b>6838</b>	190	240	24	1.5	73	88	2400	2900	2.62
<b>6840</b>	200	250	24	1.5	74	91.5	2300	2700	2.73
<b>6900</b>	10	22	6	0.3	2.7	1.25	30000	36000	0.01
<b>6901</b>	12	24	6	0.3	2.9	1.45	27000	32000	0.011
<b>6902</b>	15	28	7	0.3	4.3	2.25	24000	28000	0.017
<b>6903</b>	17	30	7	0.3	4.6	2.55	22000	26000	0.018
<b>6904</b>	20	37	9	0.3	6.35	3.7	19000	23000	0.036
<b>6905</b>	25	42	9	0.3	7	4.55	16000	19000	0.041
<b>6906</b>	30	47	9	0.3	7.25	5	14000	17000	0.045
<b>6907</b>	35	55	10	0.6	10.9	7.75	12000	15000	0.073
<b>6908</b>	40	62	12	0.6	13.7	9.95	11000	13000	0.112
<b>6909</b>	45	68	12	0.6	14.1	10.9	9800	12000	0.132
<b>6910</b>	50	72	12	0.6	14.5	11.7	8900	11000	0.133
<b>6911</b>	55	80	13	1	16.6	14.1	8200	9600	0.185
<b>6912</b>	60	85	13	1	20.2	17.3	7600	8900	0.193
<b>6913</b>	65	90	13	1	17.4	16.1	7000	8200	0.211
<b>6914</b>	70	100	16	1	23.7	21.2	6500	7700	0.342
<b>6915</b>	75	105	16	1	24.4	22.6	6100	7200	0.363
<b>6916</b>	80	110	16	1	25	24	5700	6700	0.382
<b>6917</b>	85	120	18	1.1	31.9	29.6	5400	6300	0.535
<b>6918</b>	90	125	18	1.1	32.8	31.6	5100	6000	0.565
<b>6919</b>	95	130	18	1.1	33.7	33.5	4800	5700	0.579
<b>6920</b>	100	140	20	1.1	45	41.9	4500	5300	0.785
<b>6921</b>	105	145	20	1.1	46.5	44.8	4300	5100	0.816
<b>6922</b>	110	150	20	1.1	47.9	47.8	4100	4800	0.849
<b>6924</b>	120	165	22	1.1	57.2	56.9	3800	4400	1.15
<b>6926</b>	130	180	24	1.5	69.6	70	3500	4100	1.52
<b>6928</b>	140	190	24	1.5	71.3	74.8	3200	3800	1.62
<b>6930</b>	150	210	28	2	93.4	94.3	3000	3500	2.47
<b>6932</b>	160	220	28	2	87	96	2800	3300	2.61



<b>6934</b>	170	230	28	2	86	95.5	2600	3100	2.74
<b>6936</b>	180	250	33	2	110	119	2400	2900	4.76
<b>6938</b>	190	260	33	2	113	127	2300	2700	4.98
<b>6940</b>	200	280	38	2.1	157	168	2200	2600	7.1
<b>16001</b>	12	28	7	0.3	5.1	2.39	26000	30000	0.019
<b>16002</b>	15	32	8	0.3	5.6	2.83	22000	26000	0.025
<b>16003</b>	17	35	8	0.3	6.8	3.35	20000	24000	0.032
<b>16004</b>	20	42	8	0.3	7.9	4.5	18000	21000	0.051
<b>16005</b>	25	47	8	0.3	8.35	5.1	15000	18000	0.06
<b>16006</b>	30	55	9	0.3	11.2	7.35	13000	15000	0.091
<b>16007</b>	35	62	9	0.3	11.7	8.2	12000	14000	0.11
<b>16008</b>	40	68	9	0.3	12.6	9.65	10000	12000	0.125
<b>16009</b>	45	75	10	0.6	12.9	10.5	9200	11000	0.171
<b>16010</b>	50	80	10	0.6	13.2	11.3	8400	9800	0.18
<b>16011</b>	55	90	11	0.6	18.6	15.3	7700	9000	0.258
<b>16012</b>	60	95	11	0.6	20	17.5	7000	8300	0.283
<b>16013</b>	65	100	11	0.6	20.5	18.7	6500	7700	0.307
<b>16014</b>	70	110	13	0.6	24.4	22.6	6100	7100	0.441
<b>16015</b>	75	115	13	0.6	25	24	5700	6700	0.464
<b>16016</b>	80	125	14	0.6	25.4	25.1	5300	6200	0.597
<b>16017</b>	85	130	14	0.6	25.9	26.2	5000	5900	0.626
<b>16018</b>	90	140	16	1	33.5	33.5	4700	5600	0.848
<b>16019</b>	95	145	16	1	34.5	35	4500	5300	0.885
<b>16020</b>	100	150	16	1	35	36.5	4200	5000	0.91
<b>16021</b>	105	160	18	1	52	50.5	4000	4700	1.2
<b>16022</b>	110	170	19	1	57.5	56.5	3800	4500	1.46
<b>16024</b>	120	180	19	1	63	63.5	3500	4100	1.56
<b>16026</b>	130	200	22	1.1	80	79.5	3200	3800	2.31
<b>16028</b>	140	210	22	1.1	82	85	3000	3500	2.45
<b>16030</b>	150	225	24	1.1	96.5	101	2800	3200	3.07
<b>16032</b>	160	240	25	1.5	99	108	2600	3000	3.64
<b>16034</b>	170	260	28	1.5	119	128	2400	2800	4.93
<b>16036</b>	180	280	31	2	117	134	2300	2700	6.49
<b>16038</b>	190	290	31	2	134	156	2100	2500	6.77
<b>16040</b>	200	310	34	2	142	160	2000	2400	8.68
<b>6403</b>	17	62	17	1	22.5	10.8	0.268		
<b>6404</b>	20	72	19	1	31	15.2	0.4		
<b>6405</b>	25	80	21	1.5	38.2	19.2	529		
<b>6406</b>	30	90	23	1.5	56.8	24.5	0.71		
<b>6407</b>	35	100	25	1.5	56.8	29.5	0.926		



<b>6408</b>	40	110	27	2	63.7	36.6	1.23		
<b>6409</b>	45	120	29	2	77.2	45.1	1.53		
<b>6410</b>	50	130	31	2.1	83	49.5	1.88		
<b>6411</b>	55	140	33	2.1	100	62.3	2.29		
<b>6412</b>	60	150	35	2.1	110	70.8	2.77		
<b>6413</b>	65	160	37	2.1	118	79.2	3.3		
<b>6414</b>	70	180	42	3	144	104	4.83		
<b>6415</b>	75	190	45	3	154	115	5.87		
<b>6416</b>	80	200	48	3	164	125	6.84		
<b>6417</b>	85	210	52	4	173	136	8.07		
<b>6418</b>	90	225	54	4	184	149	9.78		

ARNO





## Cylindrical Roller Bearing

Bearing No.	Boundary dimensions			Basic load rating(kN)		Limiting speeds		Mass
	mm			Dynamic	Static	rpm		Kg
	d	D	B	Cr	Cor	Grease	Oil	≈
<b>NU1005</b>	25	47	12	15.1	14.1	16,000	19,000	0.092
<b>NU1006</b>	30	55	13	19.7	19.6	14,000	16,000	0.13
<b>NU1007</b>	35	62	14	22.6	23.2	12,000	15,000	0.179
<b>NU1008</b>	40	68	15	27.3	29	11,000	13,000	0.22
<b>NU1009</b>	45	75	16	31	34	9,900	12,000	0.28
<b>NU1010</b>	50	80	16	32	36	8,900	11,000	0.295
<b>NU1011</b>	55	90	18	37.5	44	8,200	9,700	0.442
<b>NU1012</b>	60	95	18	40	48.5	7,500	8,800	0.474
<b>NU1013</b>	65	100	18	41	51	7,000	8,200	0.485
<b>NU1014</b>	70	110	20	58.5	70.5	6,500	7,600	0.699
<b>NU1015</b>	75	115	20	60	74.5	6,100	7,100	0.738
<b>NU1016</b>	80	125	22	72.5	90.5	5,700	6,700	0.98
<b>NU1017</b>	85	130	22	74.5	95.5	5,400	6,300	1.03
<b>NU1018</b>	90	140	24	88	114	5,100	5,900	1.33
<b>NU1019</b>	95	145	24	90.5	120	4,800	5,600	1.4
<b>NU1020</b>	100	150	24	93	126	4,600	5,400	1.45
<b>NU1021</b>	105	160	26	105	142	4,300	5,100	1.84
<b>NU1022</b>	110	170	28	131	174	4,100	4,800	2.33
<b>NU1024</b>	120	180	28	139	191	3,800	4,400	2.44
<b>NU1026</b>	130	200	33	172	238	3,400	4,000	3.69
<b>NU1028</b>	140	210	33	176	250	3,200	3,800	4.05
<b>NU1030</b>	150	225	35	202	294	3,000	3,500	4.77
<b>NU204E</b>	20	47	14	25.7	22.6	15,000	18,000	0.122
<b>NU205E</b>	25	52	15	29.3	27.7	13,000	15,000	0.151
<b>NU206E</b>	30	62	16	39	37.5	11,000	13,000	0.226
<b>NU207E</b>	35	72	17	50.5	50	9,500	11,000	0.327
<b>NU208</b>	40	80	18	43.5	43	9,400	11,000	0.378
<b>NU208E</b>	40	80	18	55.5	55.5	8,500	10,000	0.426
<b>NU209</b>	45	85	19	46	47	8,400	9,900	0.432
<b>NU209E</b>	45	85	19	63	66.5	7,600	9,000	0.495
<b>NU210</b>	50	90	20	48	51	7,600	9,000	0.47
<b>NU210E</b>	50	90	20	66	72	6,900	8,100	0.54
<b>NU211</b>	55	100	21	58	62.5	6,900	8,200	0.638
<b>NU211E</b>	55	100	21	82.5	93	6,300	7,400	0.718
<b>NU212</b>	60	110	22	68.5	75	6,400	7,600	0.818



<b>NU212E</b>	60	110	22	97.5	107	5,800	6,800	0.923
<b>NU213</b>	65	120	23	84	94.5	5,900	7,000	1.02
<b>NU213E</b>	65	120	23	108	119	5,400	6,300	1.21
<b>NU214</b>	70	125	24	83.5	95	5,500	6,500	1.12
<b>NU214E</b>	70	125	24	119	137	5,000	5,900	1.3
<b>NU215</b>	75	130	25	96.5	111	5,100	6,000	1.23
<b>NU215E</b>	75	130	25	130	156	4,700	5,500	1.41
<b>NU216</b>	80	140	26	106	122	4,800	5,700	1.5
<b>NU216E</b>	80	140	26	139	167	4,400	5,100	1.67
<b>NU217</b>	85	150	28	120	140	4,500	5,300	1.87
<b>NU217E</b>	85	150	28	167	199	4,100	4,800	2.11
<b>NU218</b>	90	160	30	152	178	4,300	5,000	2.3
<b>NU218E</b>	90	160	30	182	217	3,900	4,600	2.44
<b>NU219</b>	95	170	32	166	195	4,000	4,700	2.78
<b>NU219E</b>	95	170	32	220	265	3,600	4,300	3.02
<b>NU220</b>	100	180	34	183	217	3,800	4,500	3.33
<b>NU220E</b>	100	180	34	249	305	3,500	4,100	3.66
<b>NU221</b>	105	190	36	201	241	3,600	4,300	3.95
<b>NU222</b>	110	200	38	240	290	3,400	4,000	4.63
<b>NU224</b>	120	215	40	260	320	3,200	3,700	5.57
<b>NU224E</b>	120	215	40	335	420	2,900	3,400	5.97
<b>NU226</b>	130	230	40	270	340	2,900	3,400	6.3
<b>NU226E</b>	130	230	40	365	455	2,600	3,100	6.9
<b>NU228</b>	140	250	42	310	400	2,700	3,100	7.88
<b>NU228E</b>	140	250	42	395	515	2,400	2,800	8.73
<b>NU230</b>	150	270	45	345	435	2,500	2,900	9.92
<b>NU230E</b>	150	270	45	450	595	2,200	2,600	11
<b>NU2204E</b>	20	47	18	30.5	28.3	14,000	16,000	0.158
<b>NU2205E</b>	25	52	18	35	34.5	11,000	13,000	0.186
<b>NU2206E</b>	30	62	20	49	50	9,700	11,000	0.297
<b>NU2207E</b>	35	72	23	61.5	65.5	8,500	10,000	0.455
<b>NU2208</b>	40	80	23	58	62	8,500	10,000	0.49
<b>NU2208E</b>	40	80	23	72.5	77.5	7,600	8,900	0.552
<b>NU2209</b>	45	85	23	61.5	68	7,600	9,000	0.53
<b>NU2209E</b>	45	85	23	76	84.5	6,800	8,000	0.6
<b>NU2210</b>	50	90	23	64	73.5	6,900	8,100	0.571
<b>NU2210E</b>	50	90	23	79.5	91.5	6,200	7,300	0.652
<b>NU2211</b>	55	100	25	75.5	87	6,300	7,400	0.773
<b>NU2211E</b>	55	100	25	97	114	5,600	6,600	0.968
<b>NU2212</b>	60	110	28	96	116	5,800	6,800	1.06



<b>NU2212E</b>	60	110	28	131	157	5,200	6,100	1.21
<b>NU2213</b>	65	120	31	120	149	5,400	6,300	1.4
<b>NU2213E</b>	65	120	31	149	181	4,800	5,600	1.6
<b>NU2214</b>	70	125	31	119	151	5,000	5,900	1.47
<b>NU2214E</b>	70	125	31	156	194	4,500	5,200	1.7
<b>NU2215</b>	75	130	31	130	162	4,700	5,500	1.55
<b>NU2215E</b>	75	130	31	162	207	4,200	4,900	1.79
<b>NU2216</b>	80	140	33	147	186	4,400	5,100	1.93
<b>NU2216E</b>	80	140	33	186	243	3,900	4,600	2.12
<b>NU2217</b>	85	150	36	170	218	4,100	4,800	2.44
<b>NU2217E</b>	85	150	36	217	279	3,700	4,300	2.68
<b>NU2218</b>	90	160	40	197	248	3,900	4,600	3.1
<b>NU2218E</b>	90	160	40	242	315	3,500	4,100	3.33
<b>NU2219</b>	95	170	43	230	298	3,600	4,300	3.79
<b>NU2219E</b>	95	170	43	286	370	3,300	3,800	4.14
<b>NU2220</b>	100	180	46	258	340	3,500	4,100	4.57
<b>NU2220E</b>	100	180	46	335	445	3,100	3,600	5.01
<b>NU2222</b>	110	200	53	320	415	3,100	3,700	6.56
<b>NU2222E</b>	110	200	53	385	515	2,800	3,300	7.4
<b>NU2224</b>	120	215	58	350	460	2,900	3,400	8.19
<b>NU2224E</b>	120	215	58	450	620	2,600	3,000	9.18
<b>NU2226</b>	130	230	64	380	530	2,600	3,100	10.2
<b>NU2226E</b>	130	230	64	530	735	2,300	2,700	11.8
<b>NU2228</b>	140	250	68	445	635	2,400	2,800	12.9
<b>NU2228E</b>	140	250	68	575	835	2,100	2,500	15.8
<b>NU2230</b>	150	270	73	500	710	2,200	2,600	16.3
<b>NU2230E</b>	150	270	73	660	980	2,000	2,400	19.7
<b>NU304E</b>	20	52	15	31.5	26.9	13,000	15,000	0.176
<b>NU305E</b>	25	62	17	41.5	37.5	11,000	13,000	0.275
<b>NU306E</b>	30	72	19	53	50	9,300	11,000	0.398
<b>NU307E</b>	35	80	21	71	71	8,100	9,600	0.545
<b>NU308</b>	40	90	23	58.5	57	8,000	9,400	0.658
<b>NU308E</b>	40	90	23	83	81.5	7,200	8,500	0.754
<b>NU309</b>	45	100	25	74	71	7,200	8,400	0.877
<b>NU309E</b>	45	100	25	97.5	98.5	6,500	7,600	0.996
<b>NU310</b>	50	110	27	87	86	6,500	7,700	1.14
<b>NU310E</b>	50	110	27	110	113	5,900	6,900	1.3
<b>NU311</b>	55	120	29	111	111	5,900	7,000	1.45
<b>NU311E</b>	55	120	29	137	143	5,300	6,300	1.65
<b>NU312</b>	60	130	31	124	126	5,500	6,500	1.8



<b>NU312E</b>	60	130	31	150	157	4,900	5,800	2.05
<b>NU313</b>	65	140	33	135	139	5,100	6,000	2.23
<b>NU313E</b>	65	140	33	181	191	4,600	5,400	2.54
<b>NU314</b>	70	150	35	158	168	4,700	5,500	2.71
<b>NU314E</b>	70	150	35	205	222	4,200	5,000	3.1
<b>NU315</b>	75	160	37	190	205	4,400	5,200	3.28
<b>NU315E</b>	75	160	37	240	263	4,000	4,700	3.74
<b>NU316</b>	80	170	39	190	207	4,100	4,800	3.86
<b>NU316E</b>	80	170	39	256	282	3,700	4,400	4.22
<b>NU317</b>	85	180	41	212	228	3,900	4,600	4.54
<b>NU317E</b>	85	180	41	291	330	3,500	4,100	4.81
<b>NU318</b>	90	190	43	240	265	3,700	4,300	5.3
<b>NU318E</b>	90	190	43	315	355	3,300	3,900	5.72
<b>NU319</b>	95	200	45	259	285	3,400	4,000	6.13
<b>NU319E</b>	95	200	45	335	385	3,100	3,600	6.62
<b>NU320</b>	100	215	47	299	335	3,300	3,800	7.49
<b>NU320E</b>	100	215	47	380	425	2,900	3,500	8.57
<b>NU321</b>	105	225	49	320	360	3,100	3,700	8.53
<b>NU322</b>	110	240	50	360	400	3,000	3,500	10
<b>NU322E</b>	110	240	50	450	525	2,700	3,100	11.1
<b>NU324</b>	120	260	55	450	510	2,700	3,200	12.8
<b>NU324E</b>	120	260	55	530	610	2,400	2,800	13.9
<b>NU326</b>	130	280	58	560	665	2,500	2,900	17.4
<b>NU326E</b>	130	280	58	615	735	2,200	2,600	19.4
<b>NU328</b>	140	300	62	615	745	2,300	2,700	21.2
<b>NU328E</b>	140	300	62	665	795	2,100	2,400	23.2
<b>NU330</b>	150	320	65	665	805	2,100	2,500	25.3
<b>NU330E</b>	150	320	65	760	920	1,900	2,300	28.4
<b>NU2304E</b>	20	52	21	42	39	12,000	14,000	0.242
<b>NU2305E</b>	25	62	24	57	56	9,700	11,000	0.386
<b>NU2306E</b>	30	72	27	74.5	77.5	8,300	9,700	0.58
<b>NU2307E</b>	35	80	31	99	109	7,200	8,500	0.78
<b>NU2308</b>	40	90	33	82.5	88	7,000	8,200	0.951
<b>NU2308E</b>	40	90	33	114	122	6,400	7,500	1.06
<b>NU2309</b>	45	100	36	99	104	6,300	7,400	1.27
<b>NU2309E</b>	45	100	36	137	153	5,700	6,800	1.41
<b>NU2310</b>	50	110	40	121	131	5,700	6,700	1.7
<b>NU2310E</b>	50	110	40	163	187	5,200	6,100	1.9
<b>NU2311</b>	55	120	43	148	162	5,200	6,100	2.17
<b>NU2311E</b>	55	120	43	201	233	4,700	5,600	2.37



<b>NU2312</b>	60	130	46	169	188	4,800	5,700	2.71
<b>NU2312E</b>	60	130	46	222	262	4,400	5,200	2.96
<b>NU2313</b>	65	140	48	188	212	4,400	5,200	3.27
<b>NU2313E</b>	65	140	48	248	287	4,100	4,800	3.48
<b>NU2314</b>	70	150	51	223	262	4,100	4,800	3.98
<b>NU2314E</b>	70	150	51	274	325	3,800	4,400	4.25
<b>NU2315</b>	75	160	55	258	300	3,800	4,500	4.87
<b>NU2315E</b>	75	160	55	330	395	3,500	4,100	5.25
<b>NU2316</b>	80	170	58	274	330	3,600	4,200	5.79
<b>NU2316E</b>	80	170	58	355	430	3,300	3,900	6.25
<b>NU2317</b>	85	180	60	315	380	3,400	4,000	6.7
<b>NU2317E</b>	85	180	60	395	485	3,100	3,700	7.16
<b>NU2318</b>	90	190	64	325	395	3,200	3,800	7.95
<b>NU2318E</b>	90	190	64	435	535	2,900	3,400	8.56
<b>NU2319</b>	95	200	67	370	460	3,000	3,500	9.2
<b>NU2319E</b>	95	200	67	460	585	2,700	3,200	9.8
<b>NU2320</b>	100	215	73	410	505	2,900	3,400	11.7
<b>NU2320E</b>	100	215	73	570	715	2,600	3,100	12.8
<b>NU2322</b>	110	240	80	605	790	2,600	3,100	17.1
<b>NU2322E</b>	110	240	80	675	880	2,400	2,800	19.4
<b>NU2324</b>	120	260	86	710	920	2,400	2,800	21.5
<b>NU2324E</b>	120	260	86	795	1,030	2,200	2,500	26.1
<b>NU2326</b>	130	280	93	840	1,130	2,200	2,600	26.9
<b>NU2326E</b>	130	280	93	920	1,230	2,000	2,300	30.9
<b>NU2328</b>	140	300	102	920	1,250	2,000	2,300	33.8
<b>NU2328E</b>	140	300	102	1,020	1,380	1,800	2,100	38.7
<b>NU2330</b>	150	320	108	1,020	1,400	1,900	2,200	40.6
<b>NU2330E</b>	150	320	108	1,160	1,600	1,700	2,000	47.2
<b>NJ1005</b>	25	47	12	15.1	14.1	16,000	19,000	0.092
<b>NJ1006</b>	30	55	13	19.7	19.6	14,000	16,000	0.13
<b>NJ1007</b>	35	62	14	22.6	23.2	12,000	15,000	0.179
<b>NJ1008</b>	40	68	15	27.3	29	11,000	13,000	0.22
<b>NJ1009</b>	45	75	16	31	34	9,900	12,000	0.28
<b>NJ1010</b>	50	80	16	32	36	8,900	11,000	0.295
<b>NJ1011</b>	55	90	18	37.5	44	8,200	9,700	0.442
<b>NJ1012</b>	60	95	18	40	48.5	7,500	8,800	0.474
<b>NJ1013</b>	65	100	18	41	51	7,000	8,200	0.485
<b>NJ1014</b>	70	110	20	58.5	70.5	6,500	7,600	0.699
<b>NJ1015</b>	75	115	20	60	74.5	6,100	7,100	0.738
<b>NJ1016</b>	80	125	22	72.5	90.5	5,700	6,700	0.98



<b>NJ1017</b>	85	130	22	74.5	95.5	5,400	6,300	1.03
<b>NJ1018</b>	90	140	24	88	114	5,100	5,900	1.33
<b>NJ1019</b>	95	145	24	90.5	120	4,800	5,600	1.4
<b>NJ1020</b>	100	150	24	93	126	4,600	5,400	1.45
<b>NJ1021</b>	105	160	26	105	142	4,300	5,100	1.84
<b>NJ1022</b>	110	170	28	131	174	4,100	4,800	2.33
<b>NJ1024</b>	120	180	28	139	191	3,800	4,400	2.44
<b>NJ1026</b>	130	200	33	172	238	3,400	4,000	3.69
<b>NJ1028</b>	140	210	33	176	250	3,200	3,800	4.05
<b>NJ1030</b>	150	225	35	202	294	3,000	3,500	4.77
<b>NJ204E</b>	20	47	14	25.7	22.6	15,000	18,000	0.122
<b>NJ205E</b>	25	52	15	29.3	27.7	13,000	15,000	0.151
<b>NJ206E</b>	30	62	16	39	37.5	11,000	13,000	0.226
<b>NJ207E</b>	35	72	17	50.5	50	9,500	11,000	0.327
<b>NJ208</b>	40	80	18	43.5	43	9,400	11,000	0.378
<b>NJ208E</b>	40	80	18	55.5	55.5	8,500	10,000	0.426
<b>NJ209</b>	45	85	19	46	47	8,400	9,900	0.432
<b>NJ209E</b>	45	85	19	63	66.5	7,600	9,000	0.495
<b>NJ210</b>	50	90	20	48	51	7,600	9,000	0.47
<b>NJ210E</b>	50	90	20	66	72	6,900	8,100	0.54
<b>NJ211</b>	55	100	21	58	62.5	6,900	8,200	0.638
<b>NJ211E</b>	55	100	21	82.5	93	6,300	7,400	0.718
<b>NJ212</b>	60	110	22	68.5	75	6,400	7,600	0.818
<b>NJ212E</b>	60	110	22	97.5	107	5,800	6,800	0.923
<b>NJ213</b>	65	120	23	84	94.5	5,900	7,000	1.02
<b>NJ213E</b>	65	120	23	108	119	5,400	6,300	1.21
<b>NJ214</b>	70	125	24	83.5	95	5,500	6,500	1.12
<b>NJ214E</b>	70	125	24	119	137	5,000	5,900	1.3
<b>NJ215</b>	75	130	25	96.5	111	5,100	6,000	1.23
<b>NJ215E</b>	75	130	25	130	156	4,700	5,500	1.41
<b>NJ216</b>	80	140	26	106	122	4,800	5,700	1.5
<b>NJ216E</b>	80	140	26	139	167	4,400	5,100	1.67
<b>NJ217</b>	85	150	28	120	140	4,500	5,300	1.87
<b>NJ217E</b>	85	150	28	167	199	4,100	4,800	2.11
<b>NJ218</b>	90	160	30	152	178	4,300	5,000	2.3
<b>NJ218E</b>	90	160	30	182	217	3,900	4,600	2.44
<b>NJ219</b>	95	170	32	166	195	4,000	4,700	2.78
<b>NJ219E</b>	95	170	32	220	265	3,600	4,300	3.02
<b>NJ220</b>	100	180	34	183	217	3,800	4,500	3.33
<b>NJ221</b>	105	190	36	201	241	3,600	4,300	3.95



<b>NJ222</b>	110	200	38	240	290	3,400	4,000	4.63
<b>NJ224</b>	120	215	40	260	320	3,200	3,700	5.57
<b>NJ226</b>	130	230	40	270	340	2,900	3,400	6.3
<b>NJ226E</b>	130	230	40	365	455	2,600	3,100	6.9
<b>NJ228</b>	140	250	42	310	400	2,700	3,100	7.88
<b>NJ228E</b>	140	250	42	395	515	2,400	2,800	8.73
<b>NJ230</b>	150	270	45	345	435	2,500	2,900	9.92
<b>NJ230E</b>	150	270	45	450	595	2,200	2,600	11
<b>NJ2204E</b>	20	47	18	30.5	28.3	14,000	16,000	0.158
<b>NJ2205E</b>	25	52	18	35	34.5	11,000	13,000	0.186
<b>NJ2206E</b>	30	62	20	49	50	9,700	11,000	0.297
<b>NJ2207E</b>	35	72	23	61.5	65.5	8,500	10,000	0.455
<b>NJ2208</b>	40	80	23	58	62	8,500	10,000	0.49
<b>NJ2208E</b>	40	80	23	72.5	77.5	7,600	8,900	0.552
<b>NJ2209</b>	45	85	23	61.5	68	7,600	9,000	0.53
<b>NJ2209E</b>	45	85	23	76	84.5	6,800	8,000	0.6
<b>NJ2210</b>	50	90	23	64	73.5	6,900	8,100	0.571
<b>NJ2210E</b>	50	90	23	79.5	91.5	6,200	7,300	0.652
<b>NJ2211</b>	55	100	25	75.5	87	6,300	7,400	0.773
<b>NJ2211E</b>	55	100	25	97	114	5,600	6,600	0.968
<b>NJ2212</b>	60	110	28	96	116	5,800	6,800	1.06
<b>NJ2212E</b>	60	110	28	131	157	5,200	6,100	1.21
<b>NJ2213</b>	65	120	31	120	149	5,400	6,300	1.4
<b>NJ2213E</b>	65	120	31	149	181	4,800	5,600	1.6
<b>NJ2214</b>	70	125	31	119	151	5,000	5,900	1.47
<b>NJ2214E</b>	70	125	31	156	194	4,500	5,200	1.7
<b>NJ2215</b>	75	130	31	130	162	4,700	5,500	1.55
<b>NJ2215E</b>	75	130	31	162	207	4,200	4,900	1.79
<b>NJ2216</b>	80	140	33	147	186	4,400	5,100	1.93
<b>NJ2216E</b>	80	140	33	186	243	3,900	4,600	2.12
<b>NJ2217</b>	85	150	36	170	218	4,100	4,800	2.44
<b>NJ2217E</b>	85	150	36	217	279	3,700	4,300	2.68
<b>NJ2218</b>	90	160	40	197	248	3,900	4,600	3.1
<b>NJ2218E</b>	90	160	40	242	315	3,500	4,100	3.33
<b>NJ2219</b>	95	170	43	230	298	3,600	4,300	3.79
<b>NJ2219E</b>	95	170	43	286	370	3,300	3,800	4.14
<b>NJ2220</b>	100	180	46	258	340	3,500	4,100	4.57
<b>NJ2220E</b>	100	180	46	335	445	3,100	3,600	5.01
<b>NJ2222</b>	110	200	53	320	415	3,100	3,700	6.56
<b>NJ2222E</b>	110	200	53	385	515	2,800	3,300	7.4



<b>NJ2224</b>	120	215	58	350	460	2,900	3,400	8.19
<b>NJ2224E</b>	120	215	58	450	620	2,600	3,000	9.18
<b>NJ2226</b>	130	230	64	380	530	2,600	3,100	10.2
<b>NJ2226E</b>	130	230	64	530	735	2,300	2,700	11.8
<b>NJ2228</b>	140	250	68	445	635	2,400	2,800	12.9
<b>NJ2228E</b>	140	250	68	575	835	2,100	2,500	15.8
<b>NJ2230</b>	150	270	73	500	710	2,200	2,600	16.3
<b>NJ2230E</b>	150	270	73	660	980	2,000	2,400	19.7
<b>NJ304E</b>	20	52	15	31.5	26.9	13,000	15,000	0.176
<b>NJ305E</b>	25	62	17	41.5	37.5	11,000	13,000	0.275
<b>NJ306E</b>	30	72	19	53	50	9,300	11,000	0.398
<b>NJ307E</b>	35	80	21	71	71	8,100	9,600	0.545
<b>NJ308</b>	40	90	23	58.5	57	8,000	9,400	0.658
<b>NJ308E</b>	40	90	23	83	81.5	7,200	8,500	0.754
<b>NJ309</b>	45	100	25	74	71	7,200	8,400	0.877
<b>NJ309E</b>	45	100	25	97.5	98.5	6,500	7,600	0.996
<b>NJ310</b>	50	110	27	87	86	6,500	7,700	1.14
<b>NJ310E</b>	50	110	27	110	113	5,900	6,900	1.3
<b>NJ311</b>	55	120	29	111	111	5,900	7,000	1.45
<b>NJ311E</b>	55	120	29	137	143	5,300	6,300	1.65
<b>NJ312</b>	60	130	31	124	126	5,500	6,500	1.8
<b>NJ312E</b>	60	130	31	150	157	4,900	5,800	2.05
<b>NJ313</b>	65	140	33	135	139	5,100	6,000	2.23
<b>NJ313E</b>	65	140	33	181	191	4,600	5,400	2.54
<b>NJ314</b>	70	150	35	158	168	4,700	5,500	2.71
<b>NJ314E</b>	70	150	35	205	222	4,200	5,000	3.1
<b>NJ315</b>	75	160	37	190	205	4,400	5,200	3.28
<b>NJ315E</b>	75	160	37	240	263	4,000	4,700	3.74
<b>NJ316</b>	80	170	39	190	207	4,100	4,800	3.86
<b>NJ316E</b>	80	170	39	256	282	3,700	4,400	4.22
<b>NJ317</b>	85	180	41	212	228	3,900	4,600	4.54
<b>NJ317E</b>	85	180	41	291	330	3,500	4,100	4.81
<b>NJ318</b>	90	190	43	240	265	3,700	4,300	5.3
<b>NJ318E</b>	90	190	43	315	355	3,300	3,900	5.72
<b>NJ319</b>	95	200	45	259	285	3,400	4,000	6.13
<b>NJ319E</b>	95	200	45	335	385	3,100	3,600	6.62
<b>NJ320</b>	100	215	47	299	335	3,300	3,800	7.49
<b>NJ320E</b>	100	215	47	380	425	2,900	3,500	8.57
<b>NJ321</b>	105	225	49	320	360	3,100	3,700	8.53
<b>NJ322</b>	110	240	50	360	400	3,000	3,500	10





<b>NJ322E</b>	110	240	50	450	525	2,700	3,100	11.1
<b>NJ324</b>	120	260	55	450	510	2,700	3,200	12.8
<b>NJ324E</b>	120	260	55	530	610	2,400	2,800	13.9
<b>NJ326</b>	130	280	58	560	665	2,500	2,900	17.4
<b>NJ326E</b>	130	280	58	615	735	2,200	2,600	19.4
<b>NJ328</b>	140	300	62	615	745	2,300	2,700	21.2
<b>NJ328E</b>	140	300	62	665	795	2,100	2,400	23.2
<b>NJ330</b>	150	320	65	665	805	2,100	2,500	25.3
<b>NJ330E</b>	150	320	65	760	920	1,900	2,300	28.4
<b>NJ2304E</b>	20	52	21	42	39	12,000	14,000	0.242
<b>NJ2305E</b>	25	62	24	57	56	9,700	11,000	0.386
<b>NJ2306E</b>	30	72	27	74.5	77.5	8,300	9,700	0.58
<b>NJ2307E</b>	35	80	31	99	109	7,200	8,500	0.78
<b>NJ2308</b>	40	90	33	82.5	88	7,000	8,200	0.951
<b>NJ2308E</b>	40	90	33	114	122	6,400	7,500	1.06
<b>NJ2309</b>	45	100	36	99	104	6,300	7,400	1.27
<b>NJ2309E</b>	45	100	36	137	153	5,700	6,800	1.41
<b>NJ2310</b>	50	110	40	121	131	5,700	6,700	1.7
<b>NJ2310E</b>	50	110	40	163	187	5,200	6,100	1.9
<b>NJ2311</b>	55	120	43	148	162	5,200	6,100	2.17
<b>NJ2311E</b>	55	120	43	201	233	4,700	5,600	2.37
<b>NJ2312</b>	60	130	46	169	188	4,800	5,700	2.71
<b>NJ2312E</b>	60	130	46	222	262	4,400	5,200	2.96
<b>NJ2313</b>	65	140	48	188	212	4,400	5,200	3.27
<b>NJ2313E</b>	65	140	48	248	287	4,100	4,800	3.48
<b>NJ2314</b>	70	150	51	223	262	4,100	4,800	3.98
<b>NJ2314E</b>	70	150	51	274	325	3,800	4,400	4.25
<b>NJ2315</b>	75	160	55	258	300	3,800	4,500	4.87
<b>NJ2315E</b>	75	160	55	330	395	3,500	4,100	5.25
<b>NJ2316</b>	80	170	58	274	330	3,600	4,200	5.79
<b>NJ2316E</b>	80	170	58	355	430	3,300	3,900	6.25
<b>NJ2317</b>	85	180	60	315	380	3,400	4,000	6.7
<b>NJ2317E</b>	85	180	60	395	485	3,100	3,700	7.16
<b>NJ2318</b>	90	190	64	325	395	3,200	3,800	7.95
<b>NJ2318E</b>	90	190	64	435	535	2,900	3,400	8.56
<b>NJ2319</b>	95	200	67	370	460	3,000	3,500	9.2
<b>NJ2319E</b>	95	200	67	460	585	2,700	3,200	9.8
<b>NJ2320</b>	100	215	73	410	505	2,900	3,400	11.7
<b>NJ2320E</b>	100	215	73	570	715	2,600	3,100	12.8
<b>NJ2322</b>	110	240	80	605	790	2,600	3,100	17.1



<b>NJ2322E</b>	110	240	80	675	880	2,400	2,800	19.4
<b>NJ2324</b>	120	260	86	710	920	2,400	2,800	21.5
<b>NJ2324E</b>	120	260	86	795	1,030	2,200	2,500	26.1
<b>NJ2326</b>	130	280	93	840	1,130	2,200	2,600	26.9
<b>NJ2326E</b>	130	280	93	920	1,230	2,000	2,300	30.9
<b>NJ2328</b>	140	300	102	920	1,250	2,000	2,300	33.8
<b>NJ2328E</b>	140	300	102	1,020	1,380	1,800	2,100	38.7
<b>NUP1005</b>	25	47	12	15.1	14.1	16,000	19,000	0.092
<b>NUP1006</b>	30	55	13	19.7	19.6	14,000	16,000	0.13
<b>NUP1007</b>	35	62	14	22.6	23.2	12,000	15,000	0.179
<b>NUP1008</b>	40	68	15	27.3	29	11,000	13,000	0.22
<b>NUP1009</b>	45	75	16	31	34	9,900	12,000	0.28
<b>NUP1010</b>	50	80	16	32	36	8,900	11,000	0.295
<b>NUP1011</b>	55	90	18	37.5	44	8,200	9,700	0.442
<b>NUP1012</b>	60	95	18	40	48.5	7,500	8,800	0.474
<b>NUP1013</b>	65	100	18	41	51	7,000	8,200	0.485
<b>NUP1014</b>	70	110	20	58.5	70.5	6,500	7,600	0.699
<b>NUP1015</b>	75	115	20	60	74.5	6,100	7,100	0.738
<b>NUP1016</b>	80	125	22	72.5	90.5	5,700	6,700	0.98
<b>NUP1017</b>	85	130	22	74.5	95.5	5,400	6,300	1.03
<b>NUP1018</b>	90	140	24	88	114	5,100	5,900	1.33
<b>NUP1019</b>	95	145	24	90.5	120	4,800	5,600	1.4
<b>NUP1020</b>	100	150	24	93	126	4,600	5,400	1.45
<b>NUP1021</b>	105	160	26	105	142	4,300	5,100	1.84
<b>NUP1022</b>	110	170	28	131	174	4,100	4,800	2.33
<b>NUP1024</b>	120	180	28	139	191	3,800	4,400	2.44
<b>NUP1026</b>	130	200	33	172	238	3,400	4,000	3.69
<b>NUP1028</b>	140	210	33	176	250	3,200	3,800	4.05
<b>NUP1030</b>	150	225	35	202	294	3,000	3,500	4.77
<b>NUP204E</b>	20	47	14	25.7	22.6	15,000	18,000	0.122
<b>NUP205E</b>	25	52	15	29.3	27.7	13,000	15,000	0.151
<b>NUP206E</b>	30	62	16	39	37.5	11,000	13,000	0.226
<b>NUP207E</b>	35	72	17	50.5	50	9,500	11,000	0.327
<b>NUP208</b>	40	80	18	43.5	43	9,400	11,000	0.378
<b>NUP208E</b>	40	80	18	55.5	55.5	8,500	10,000	0.426
<b>NUP209</b>	45	85	19	46	47	8,400	9,900	0.432
<b>NUP209E</b>	45	85	19	63	66.5	7,600	9,000	0.495
<b>NUP210</b>	50	90	20	48	51	7,600	9,000	0.47
<b>NUP210E</b>	50	90	20	66	72	6,900	8,100	0.54
<b>NUP211</b>	55	100	21	58	62.5	6,900	8,200	0.638



<b>NUP211E</b>	55	100	21	82.5	93	6,300	7,400	0.718
<b>NUP212</b>	60	110	22	68.5	75	6,400	7,600	0.818
<b>NUP212E</b>	60	110	22	97.5	107	5,800	6,800	0.923
<b>NUP213</b>	65	120	23	84	94.5	5,900	7,000	1.02
<b>NUP213E</b>	65	120	23	108	119	5,400	6,300	1.21
<b>NUP214</b>	70	125	24	83.5	95	5,500	6,500	1.12
<b>NUP214E</b>	70	125	24	119	137	5,000	5,900	1.3
<b>NUP215</b>	75	130	25	96.5	111	5,100	6,000	1.23
<b>NUP215E</b>	75	130	25	130	156	4,700	5,500	1.41
<b>NUP216</b>	80	140	26	106	122	4,800	5,700	1.5
<b>NUP216E</b>	80	140	26	139	167	4,400	5,100	1.67
<b>NUP217</b>	85	150	28	120	140	4,500	5,300	1.87
<b>NUP217E</b>	85	150	28	167	199	4,100	4,800	2.11
<b>NUP218</b>	90	160	30	152	178	4,300	5,000	2.3
<b>NUP218E</b>	90	160	30	182	217	3,900	4,600	2.44
<b>NUP219</b>	95	170	32	166	195	4,000	4,700	2.78
<b>NUP219E</b>	95	170	32	220	265	3,600	4,300	3.02
<b>NUP220</b>	100	180	34	183	217	3,800	4,500	3.33
<b>NUP220E</b>	100	180	34	249	305	3,500	4,100	3.66
<b>NUP221</b>	105	190	36	201	241	3,600	4,300	3.95
<b>NUP222</b>	110	200	38	240	290	3,400	4,000	4.63
<b>NUP222E</b>	110	200	38	293	365	3,100	3,700	4.27
<b>NUP224</b>	120	215	40	260	320	3,200	3,700	5.57
<b>NUP224E</b>	120	215	40	335	420	2,900	3,400	5.97
<b>NUP226</b>	130	230	40	270	340	2,900	3,400	6.3
<b>NUP226E</b>	130	230	40	365	455	2,600	3,100	6.9
<b>NUP228</b>	140	250	42	310	400	2,700	3,100	7.88
<b>NUP228E</b>	140	250	42	395	515	2,400	2,800	8.73
<b>NUP230</b>	150	270	45	345	435	2,500	2,900	9.92
<b>NUP230E</b>	150	270	45	450	595	2,200	2,600	11



# Self-aligning Roller Bearing

Bearing No.	Boundary dimensions				Basic load ratings(kN)		Limiting speeds		Mass
	mm				Dynamic	Static	rpm		Kg
	d	D	B	r <sub>s</sub> min	Cr	Cor	Grease	Oil	≈
<b>22205</b>	25	52	18	1	36.5	36	6,500	10,000	0.186
<b>22206</b>	30	62	20	1	49	49	5,700	8,800	0.287
<b>22207</b>	35	72	23	1.1	69.5	71	4,900	7,500	0.446
<b>22208</b>	40	80	23	1.1	79	88.5	4,300	6,600	0.526
<b>22209</b>	45	85	23	1.1	82.5	95	3,800	5,900	0.584
<b>22210</b>	50	90	23	1.1	86	102	3,500	5,300	0.63
<b>22211</b>	55	100	25	1.5	118	144	3,200	4,900	0.808
<b>22212</b>	60	110	28	1.5	115	147	2,900	4,500	1.15
<b>22213</b>	65	120	31	1.5	143	179	2,700	4,200	1.5
<b>22214</b>	70	125	31	1.5	154	201	2,500	3,900	1.55
<b>22215</b>	75	130	31	1.5	166	223	2,300	3,600	1.65
<b>22216</b>	80	140	33	2	213	277	2,200	3,400	1.99
<b>22217</b>	85	150	36	2	251	320	2,100	3,200	2.49
<b>22218</b>	90	160	40	2	292	385	1,900	3,000	3.24
<b>22219</b>	95	170	43	2.1	294	390	1,800	2,800	4.1
<b>22220</b>	100	180	46	2.1	315	415	1,700	2,700	4.95
<b>22222</b>	110	200	53	2.1	410	570	1,600	2,400	7.2
<b>22224</b>	120	215	58	2.1	485	700	1,400	2,200	9.1
<b>22226</b>	130	230	64	3	570	790	1,300	2,000	11.2
<b>22228</b>	140	250	68	3	685	975	1,200	1,900	14
<b>22230</b>	150	270	73	3	775	1,160	1,100	1,700	18.1
<b>22232</b>	160	290	80	3	870	1,290	1,000	1,600	22.7
<b>22234</b>	170	310	86	4	1,000	1,520	980	1,500	28
<b>22236</b>	180	320	86	4	1,040	1,610	920	1,400	29.3
<b>22238</b>	190	340	92	4	1,160	1,810	860	1,300	36.6
<b>22240</b>	200	360	98	4	1,310	2,010	820	1,300	44
<b>22244</b>	220	400	108	4	1,580	2,460	730	1,100	60.4
<b>22248</b>	240	440	120	4	1,940	3,100	660	1,000	81.7
<b>22252</b>	260	480	130	5	2,230	3,600	610	930	106
<b>22256</b>	280	500	130	5	2,310	3,800	560	860	112
<b>22260</b>	300	540	140	5	2,670	4,350	510	790	141
<b>22308</b>	40	90	33	1.5	121	128	3,800	5,900	0.974
<b>22309</b>	45	100	36	1.5	148	167	3,400	5,300	1.33
<b>22310</b>	50	110	40	2	186	212	3,100	4,800	1.79
<b>22311</b>	55	120	43	2	204	234	2,800	4,400	2.3



<b>22312</b>	60	130	46	2.1	238	273	2,600	4,000	2.9
<b>22313</b>	65	140	48	2.1	265	320	2,400	3,700	3.45
<b>22314</b>	70	150	51	2.1	325	380	2,300	3,500	4.22
<b>22315</b>	75	160	55	2.1	330	410	2,100	3,200	5.25
<b>22316</b>	80	170	58	2.1	385	470	2,000	3,000	6.05
<b>22317</b>	85	180	60	3	415	510	1,900	2,900	7.1
<b>22318</b>	90	190	64	3	480	590	1,800	2,700	8.35
<b>22319</b>	95	200	67	3	500	615	1,600	2,500	9.76
<b>22320</b>	100	215	73	3	605	755	1,600	2,400	12.4
<b>22322</b>	110	240	80	3	745	930	1,400	2,200	17.1
<b>22324</b>	120	260	86	3	880	1,120	1,300	2,000	21.5
<b>22326</b>	130	280	93	4	1,000	1,290	1,200	1,800	26.8
<b>22328</b>	140	300	102	4	1,130	1,460	1,100	1,700	33.8
<b>22330</b>	150	320	108	4	1,270	1,750	1,000	1,600	42.7
<b>22332</b>	160	340	114	4	1,410	1,990	940	1,500	50.8
<b>22334</b>	170	360	120	4	1,540	2,180	880	1,400	59.8
<b>22336</b>	180	380	126	4	1,740	2,560	830	1,300	70
<b>22338</b>	190	400	132	5	1,870	2,790	780	1,200	81
<b>22340</b>	200	420	138	5	2,040	3,050	740	1,100	93.2
<b>22344</b>	220	460	145	5	2,350	3,500	660	1,000	117
<b>22348</b>	240	500	155	5	2,720	4,100	600	930	148
<b>22352</b>	260	540	165	6	3,100	4,750	550	850	183
<b>22356</b>	280	580	175	6	3,500	5,350	500	780	224
<b>22360</b>	300	620	185	7.5	3,600	5,400	470	720	270
<b>23022</b>	110	170	45	2	282	455	1,800	2,800	3.71
<b>23024</b>	120	180	46	2	296	495	1,700	2,600	4.05
<b>23026</b>	130	200	52	2	375	620	1,500	2,300	5.9
<b>23028</b>	140	210	53	2	405	690	1,400	2,200	6.35
<b>23030</b>	150	225	56	2.1	445	775	1,300	2,000	7.73
<b>23032</b>	160	240	60	2.1	505	885	1,200	1,900	9.42
<b>23034</b>	170	260	67	2.1	630	1,080	1,100	1,800	12.7
<b>23036</b>	180	280	74	2.1	740	1,290	1,100	1,700	16.7
<b>23038</b>	190	290	75	2.1	755	1,350	1,000	1,600	17.7
<b>23040</b>	200	310	82	2.1	915	1,620	960	1,500	22.7
<b>23044</b>	220	340	90	3	1,060	1,920	870	1,300	29.9
<b>23048</b>	240	360	92	3	1,130	2,140	790	1,200	33.4
<b>23052</b>	260	400	104	4	1,420	2,620	720	1,100	48.5
<b>23056</b>	280	420	106	4	1,510	2,920	660	1,000	52.4
<b>23060</b>	300	460	118	4	1,890	3,550	610	940	72.4



<b>23120</b>	100	165	52	2	310	470	1,700	2,600	4.3
<b>23122</b>	110	180	56	2	370	580	1,500	2,400	5.4
<b>23124</b>	120	200	62	2	455	705	1,400	2,100	7.7
<b>23126</b>	130	210	64	2	495	795	1,300	2,000	8.47
<b>23128</b>	140	225	68	2.1	540	895	1,200	1,800	10.2
<b>23130</b>	150	250	80	2.1	730	1,190	1,100	1,700	15.6
<b>23132</b>	160	270	86	2.1	840	1,370	1,000	1,600	19.8
<b>23134</b>	170	280	88	2.1	885	1,490	960	1,500	21.5
<b>23136</b>	180	300	96	3	1,030	1,730	900	1,400	25.1
<b>23138</b>	190	320	104	3	1,190	2,020	850	1,300	35.3
<b>23140</b>	200	340	112	3	1,350	2,270	800	1,200	43.3
<b>23144</b>	220	370	120	4	1,540	2,670	720	1,100	53.3
<b>23148</b>	240	400	128	4	1,730	3,050	650	1,000	65.8
<b>23152</b>	260	440	144	4	2,140	3,850	600	920	91.4
<b>23156</b>	280	460	146	5	2,300	4,250	550	850	97.7
<b>23160</b>	300	500	160	5	2,750	5,000	510	780	131
<b>23218</b>	90	160	52.4	2	315	455	1,800	2,800	4.45
<b>23220</b>	100	180	60.3	2.1	405	580	1,600	2,500	6.47
<b>23222</b>	110	200	69.8	2.1	515	760	1,400	2,200	9.71
<b>23224</b>	120	215	76	2.1	585	880	1,300	2,000	12.1
<b>23226</b>	130	230	80	3	685	1,060	1,200	1,900	14.3
<b>23228</b>	140	250	88	3	805	1,270	1,100	1,700	18.8
<b>23230</b>	150	270	96	3	935	1,460	1,000	1,600	24.1
<b>23232</b>	160	290	104	3	1,050	1,660	960	1,500	30
<b>23234</b>	170	310	110	4	1,180	1,960	910	1,400	36.8
<b>23236</b>	180	320	112	4	1,230	2,000	850	1,300	39
<b>23238</b>	190	340	120	4	1,400	2,330	790	1,200	47.6
<b>23240</b>	200	360	128	4	1,610	2,640	750	1,200	57.2
<b>23244</b>	220	400	144	4	2,010	3,350	670	1,000	80
<b>23248</b>	240	440	160	4	2,430	4,100	610	940	108
<b>23252</b>	260	480	174	5	2,760	4,700	560	860	141
<b>23256</b>	280	500	176	5	2,930	5,150	510	790	150
<b>23260</b>	300	540	192	5	3,450	6,000	470	730	193
<b>23936</b>	180	250	52	2	440	835	1,200	1,800	8.21
<b>23938</b>	190	260	52	2	460	890	1,100	1,700	8.6
<b>23940</b>	200	280	60	2.1	545	1,100	1,000	1,600	12.1
<b>23944</b>	220	300	60	2.1	565	1,170	930	1,400	13.1
<b>23948</b>	240	320	60	2.1	565	1,190	840	1,300	14
<b>23952</b>	260	360	75	2.1	760	1,580	770	1,200	24
<b>23956</b>	280	380	75	2.1	830	1,750	710	1,100	26.4



<b>23960</b>	300	420	90	3	1,110	2,320	650	1,000	40
<b>24024</b>	120	180	60	2	390	670	1,500	2,300	5.48
<b>24026</b>	130	200	69	2	505	895	1,300	2,100	8.08
<b>24028</b>	140	210	69	2	510	945	1,200	1,900	8.57
<b>24030</b>	150	225	75	2.1	585	1,060	1,200	1,800	10.7
<b>24032</b>	160	240	80	2.1	650	1,200	1,100	1,700	13
<b>24034</b>	170	260	90	2.1	800	1,470	1,000	1,600	17.7
<b>24036</b>	180	280	100	2.1	965	1,770	950	1,500	23.3
<b>24038</b>	190	290	100	2.1	995	1,850	900	1,400	24.3
<b>24040</b>	200	310	109	2.1	1,160	2,140	850	1,300	31
<b>24044</b>	220	340	118	3	1,350	2,570	770	1,200	40.2
<b>24048</b>	240	360	118	3	1,410	2,770	700	1,100	43
<b>24052</b>	260	400	140	4	1,830	3,550	640	980	65.2
<b>24056</b>	280	420	140	4	1,950	3,950	590	900	69
<b>24060</b>	300	460	160	4	2,450	4,950	540	840	98
<b>24122</b>	110	180	69	2	450	755	1,500	2,400	7.07
<b>24124</b>	120	200	80	2	575	945	1,400	2,100	10.3
<b>24126</b>	130	210	80	2	585	995	1,300	2,000	11
<b>24128</b>	140	225	85	2.1	670	1,150	1,200	1,800	13.3
<b>24130</b>	150	250	100	2.1	885	1,520	1,100	1,700	20.2
<b>24132</b>	160	270	109	2.1	1,040	1,780	1,000	1,600	26
<b>24134</b>	170	280	109	2.1	1,080	1,880	960	1,500	27.2
<b>24136</b>	180	300	118	3	1,250	2,210	900	1,400	34.3
<b>24138</b>	190	320	128	3	1,420	2,480	850	1,300	42.8
<b>24140</b>	200	340	140	3	1,630	2,900	800	1,200	53.4
<b>24144</b>	220	370	150	4	1,880	3,400	720	1,100	67
<b>24148</b>	240	400	160	4	2,110	3,800	650	1,000	82.2
<b>24152</b>	260	440	180	4	2,510	4,600	600	920	114
<b>24156</b>	280	460	180	5	2,730	5,200	550	850	120
<b>24160</b>	300	500	200	5	3,300	6,400	510	780	161



## Angular Contact Ball Bearing

Bearing No.	Boundary dimensions			Basic load ratings(kN)		Limiting speed		Mass
	mm			Dynamic	Static	rpm		kg
	d	D	B	Cr	Cor	Grease	Oil	≈
<b>7000C</b>	10	26	8	4.9	2.1	24,000	32,000	0.019
<b>7001C</b>	12	28	8	5.4	2.6	22,000	28,000	0.021
<b>7002C</b>	15	32	9	6.2	3.3	19,000	25,000	0.03
<b>7003C</b>	17	35	10	6.6	3.6	16,000	22,000	0.04
<b>7004C</b>	20	42	12	10.4	6	14,000	19,000	0.064
<b>7005C</b>	25	47	12	11.6	7.4	12,000	17,000	0.074
<b>7006C</b>	30	55	13	15.1	10.2	9,500	14,000	0.11
<b>7007C</b>	35	62	14	18.2	12.7	8,500	12,000	0.15
<b>7008C</b>	40	68	15	19.7	14.9	8,000	11,000	0.18
<b>7009C</b>	45	75	16	25.9	20.2	7,500	10,000	0.23
<b>7010C</b>	50	80	16	26.6	21.8	6,700	9,000	0.25
<b>7011C</b>	55	90	18	38.9	29.5	6,000	8,000	0.38
<b>7012C</b>	60	95	18	40.9	33.1	5,600	7,500	0.4
<b>7013C</b>	65	100	18	40.1	35.3	5,300	7,000	0.43
<b>7014C</b>	70	110	20	48.3	43.1	5,000	6,700	0.6
<b>7015C</b>	75	115	20	49.6	45.9	4,800	6,300	0.63
<b>7016C</b>	80	125	22	58.9	54.7	4,500	6,000	0.85
<b>7017C</b>	85	130	22	58.1	55.9	4,300	5,600	0.89
<b>7018C</b>	90	140	24	71.7	68.7	4,000	5,300	1.15
<b>7019C</b>	95	145	24	73.5	73.1	3,800	5,000	1.2
<b>7020C</b>	100	150	24	74.4	72.5	3,800	5,000	1.25
<b>7021C</b>	105	160	26	80.6	81.1	3,600	4,800	1.6
<b>7022C</b>	110	170	28	101.4	100.3	3,400	4,600	1.95
<b>7024C</b>	120	180	28	108.6	110.7	2,800	3,800	2.1
<b>7026C</b>	130	200	33	129.4	134.7	2,600	3,400	3.33
<b>7028C</b>	140	210	33	153.4	160.5	2,400	3,200	3.46
<b>7030C</b>	150	225	35	183.9	194.2	2,200	3,000	4.8
<b>7032C</b>	160	240	38	200.1	219.4	2,000	2,800	5.26
<b>7000AC</b>	10	26	8	4.7	2.1	24,000	32,000	0.019
<b>7001AC</b>	12	28	8	5.1	2.4	22,000	28,000	0.021
<b>7002AC</b>	15	32	9	5.9	3.2	19,000	25,000	0.03
<b>7003AC</b>	17	35	10	6.3	3.6	16,000	22,000	0.04
<b>7004AC</b>	20	42	12	10	5.7	14,000	19,000	0.064
<b>7005AC</b>	25	47	12	11.1	7	12,000	17,000	0.074





<b>7006AC</b>	30	55	13	14.4	9.8	9,500	14,000	0.11
<b>7007AC</b>	35	62	14	17.3	12.1	8,500	12,000	0.15
<b>7008AC</b>	40	68	15	18.7	14.1	8,000	11,000	0.18
<b>7009AC</b>	45	75	16	24.7	19.1	7,500	10,000	0.23
<b>7010AC</b>	50	80	16	25.3	20.5	6,700	9,000	0.25
<b>7011AC</b>	55	90	18	35.5	26.5	6,000	8,000	0.38
<b>7012AC</b>	60	95	18	37	31.3	5,600	7,500	0.4
<b>7013AC</b>	65	100	18	38	33.6	5,300	7,000	0.43
<b>7014AC</b>	70	110	20	45.8	40.9	5,000	6,700	0.6
<b>7015AC</b>	75	115	20	47.5	43.3	4,800	6,300	0.63
<b>7016AC</b>	80	125	22	57.5	51	4,500	6,000	0.85
<b>7017AC</b>	85	130	22	55	52.8	4,300	5,600	0.89
<b>7018AC</b>	90	140	24	71.7	68.7	4,000	5,300	1.15
<b>7019AC</b>	95	145	24	69.8	69.1	3,800	5,000	1.2
<b>7020AC</b>	100	150	24	69	69.7	3,800	5,000	1.25
<b>7021AC</b>	105	160	26	80.9	72.2	3,600	4,800	1.6
<b>7022AC</b>	110	170	28	98.5	93.9	3,400	4,600	1.95
<b>7024AC</b>	120	180	28	103.5	104.5	2,800	3,800	2.1
<b>7026AC</b>	130	200	33	122.4	127.8	2,600	3,400	3.33
<b>7028AC</b>	140	210	33	145.3	152.8	2,400	3,200	3.46
<b>7030AC</b>	150	225	35	174.2	184.9	2,200	3,000	4.8
<b>7032AC</b>	160	240	38	189.6	209	2,000	2,800	5.26
<b>7200C</b>	10	30	9	5.5	2.8	22,000	28,000	0.032
<b>7201C</b>	12	32	10	7.9	3.8	20,000	25,000	0.037
<b>7202C</b>	15	35	11	9.2	4.9	17,000	22,000	0.045
<b>7203C</b>	17	40	12	10.8	5.8	15,000	20,000	0.062
<b>7204C</b>	20	47	14	14.5	8.1	13,000	18,000	0.1
<b>7205C</b>	25	52	15	16.5	10	11,000	16,000	0.12
<b>7206C</b>	30	62	16	23	14.7	9,000	13,000	0.19
<b>7207C</b>	35	72	17	30.3	20	8,000	11,000	0.28
<b>7208C</b>	40	80	18	38.4	26.3	7,500	10,000	0.37
<b>7209C</b>	45	85	19	40.4	29.3	6,700	9,000	0.41
<b>7210C</b>	50	90	20	42.8	31.3	6,300	8,500	0.46
<b>7211C</b>	55	100	21	53.2	39.9	5,600	7,000	0.61
<b>7212C</b>	60	110	22	61	48.2	5,300	7,000	0.8
<b>7213C</b>	65	120	23	69.8	54.4	4,800	6,300	1
<b>7214C</b>	70	125	24	72.8	59.7	4,500	5,800	1.1
<b>7215C</b>	75	130	25	79.2	65.6	4,300	5,600	1.2
<b>7216C</b>	80	140	26	92.5	66.2	4,000	5,300	1.45
<b>7217C</b>	85	150	28		84.6	3,800	5,000	1.8



<b>7218C</b>	90	160	30	128	111.7	3,600	4,800	2.25
<b>7219C</b>	95	170	32	134.6	112.2	3,400	4,500	2.7
<b>7220C</b>	100	180	34	149.1	125.4	3,200	4,300	3.25
<b>7221C</b>	105	190	36	166.6	138.6	3,000	4,000	3.85
<b>7222C</b>	110	200	38	184.7	154.8	2,800	3,800	4.55
<b>7224C</b>	120	215	40	203.1	178.4	2,400	3,400	5.4
<b>7226C</b>	130	230	40	206.6	209.2	2,000	3,000	6.45
<b>7200AC</b>	10	30	9	5.5	2.8	22,000	28,000	0.032
<b>7201AC</b>	12	32	10	7.6	3.6	20,000	25,000	0.037
<b>7202AC</b>	15	35	11	8.9	4.8	17,000	22,000	0.045
<b>7203AC</b>	17	40	12	10.4	5.6	15,000	20,000	0.062
<b>7204AC</b>	20	47	14	14	7.8	13,000	18,000	0.1
<b>7205AC</b>	25	52	15	15.8	9.7	11,000	16,000	0.12
<b>7206AC</b>	30	62	16	22.1	13.5	9,000	13,000	0.19
<b>7207AC</b>	35	72	17	29.2	18	8,000	11,000	0.28
<b>7208AC</b>	40	80	18	36.8	25.4	7,500	10,000	0.37
<b>7209AC</b>	45	85	19	38.6	28.1	6,700	9,000	0.41
<b>7210AC</b>	50	90	20	40.8	30.1	6,300	8,500	0.46
<b>7211AC</b>	55	100	21	50.8	38.2	5,600	7,000	0.61
<b>7212AC</b>	60	110	22	58.1	46	5,300	7,000	0.8
<b>7213AC</b>	65	120	23	66.6	52.1	4,800	6,300	1
<b>7214AC</b>	70	125	24	69.4	57	4,500	5,800	1.1
<b>7215AC</b>	75	130	25	75.3	62.8	4,300	5,600	1.2
<b>7216AC</b>	80	140	26	91.3	65.1	4,000	5,300	1.45
<b>7217AC</b>	85	150	28	94.9	80.8	3,800	5,000	1.8
<b>7218AC</b>	90	160	30	122	106.5	3,600	4,800	2.25
<b>7219AC</b>	95	170	32	128.4	107.8	3,400	4,500	2.7
<b>7220AC</b>	100	180	34	142.3	120.6	3,200	4,300	3.25
<b>7221AC</b>	105	190	36	159	135.1	3,000	4,000	3.85
<b>7222AC</b>	110	200	38	176.3	151.2	2,800	3,800	4.55
<b>7224AC</b>	120	215	40	193.6	170.9	2,400	3,400	5.4
<b>7226AC</b>	130	230	40	196.4	200.1	2,000	3,000	6.45
<b>7200B</b>	10	30	9	5.3	2.7	19,000	27,000	0.03
<b>7201B</b>	12	32	10	6.9	3.2	18,000	24,000	0.036
<b>7202B</b>	15	35	11	7.9	4.2	16,000	22,000	0.045
<b>7203B</b>	17	40	12	9.9	5.5	14,000	19,000	0.065
<b>7204B</b>	20	47	14	13.4	7.6	12,000	16,000	0.11
<b>7205B</b>	25	52	15	14.8	9.3	10,000	14,000	0.13
<b>7206B</b>	30	62	16	20.5	13.5	8,500	12,000	0.2
<b>7207B</b>	35	72	17	28.3	14.8	7,500	10,000	0.28



<b>7208B</b>	40	80	18	34.5	23.8	6,700	9,000	0.42
<b>7209B</b>	45	85	19	34	24.6	6,300	8,500	0.42
<b>7210B</b>	50	90	20	40.4	25.6	5,600	8,000	0.47
<b>7211B</b>	55	100	21	46.3	36	5,300	7,000	0.62
<b>7212B</b>	60	110	22	56.1	44.3	4,800	6,300	0.8
<b>7213B</b>	65	120	23	65.7	50.2	4,300	6,000	1
<b>7214B</b>	70	125	24	70.4	56.3	4,000	5,600	1.1
<b>7215B</b>	75	130	25	68.6	58.2	3,800	5,300	1.2
<b>7216B</b>	80	140	26	78.7	65.7	4,000	5,300	1.45
<b>7217B</b>	85	150	28	83.2	74.1	3,600	5,000	1.85
<b>7218B</b>	90	160	30	107.6	92.4	3,200	4,300	2.3
<b>7219B</b>	95	170	32	121.4	106.7	3,000	4,000	2.7
<b>7220B</b>	100	180	34	140.7	102.5	2,800	3,800	3.3
<b>7221B</b>	105	190	36	143.3	128.5	2,800	3,800	3.55
<b>7222B</b>	110	200	38	153.8	144.3	2,400	3,400	4.35
<b>7224B</b>	120	215	40	165.4	161.4	2,200	3,200	5.2
<b>7226B</b>	130	230	40	170.8	174.2	1,800	2,800	6.05
<b>7300C</b>	10	35	11	9.8	4.6	18,000	26,000	0.053
<b>7301C</b>	12	37	12	11.8	5.6	17,000	24,000	0.06
<b>7302C</b>	15	42	13	13.2	6.7	15,000	21,000	0.084
<b>7303C</b>	17	47	14	15.7	8.2	13,000	19,000	0.16
<b>7304C</b>	20	52	15	18.4	9.8	12,000	17,000	0.15
<b>7305C</b>	25	62	17	27.8	15.9	9,500	14,000	0.23
<b>7306C</b>	30	72	19	33.2	21.2	8,500	12,000	0.35
<b>7307C</b>	35	80	21	40.3	25.8	7,500	10,000	0.47
<b>7308C</b>	40	90	23	49.3	32.3	6,700	9,000	0.66
<b>7309C</b>	45	100	25	63.1	42.9	6,000	8,000	0.86
<b>7310C</b>	50	110	27	74.9	50.9	5,600	7,500	1.08
<b>7311C</b>	55	120	29	86.4	59.5	5,000	6,700	1.42
<b>7312C</b>	60	130	31	98.6	68.5	4,800	6,300	1.71
<b>7313C</b>	65	140	33	113.1	79.6	4,300	5,600	2.23
<b>7314C</b>	70	150	35	126	91.6	4,000	5,300	2.67
<b>7315C</b>	75	160	37	140.7	103.9	3,800	5,000	3.1
<b>7316C</b>	80	170	39	156.1	112.2	3,600	4,800	3.6
<b>7317C</b>	85	180	41	160.7	130.5	3,400	4,500	4.38
<b>7318C</b>	90	190	43	184.9	159.9	3,200	4,300	5.6
<b>7319C</b>	95	200	45	201.1	179.8	3,200	4,200	6.6
<b>7320C</b>	100	215	47	222.1	206.7	3,000	4,000	7.58
<b>7321C</b>	105	225	49	235.8	225.6	2,800	3,800	8.85
<b>7322C</b>	110	240	50	263.2	261.9	2,600	3,600	10.5



<b>7300AC</b>	10	35	11	9.5	4.4	18,000	26,000	0.053
<b>7301AC</b>	12	37	12	11.5	5.4	17,000	24,000	0.06
<b>7302AC</b>	15	42	13	12.5	6.2	15,000	21,000	0.084
<b>7303AC</b>	17	47	14	15	7.7	13,000	19,000	0.16
<b>7304AC</b>	20	52	15	17.9	9.6	12,000	17,000	0.15
<b>7305AC</b>	25	62	17	27	15.6	9,500	14,000	0.23
<b>7306AC</b>	30	72	19	32.8	20.4	8,500	12,000	0.35
<b>7307AC</b>	35	80	21	38.2	24.9	7,500	10,000	0.47
<b>7308AC</b>	40	90	23	47	31.1	6,700	9,000	0.66
<b>7309AC</b>	45	100	25	61.6	41.2	6,000	8,000	0.86
<b>7310AC</b>	50	110	27	71.9	48.5	5,600	7,500	1.08
<b>7311AC</b>	55	120	29	83.4	58	5,000	6,700	1.42
<b>7312AC</b>	60	130	31	95.2	67.2	4,800	6,300	1.71
<b>7313AC</b>	65	140	33	38	33.6	4,300	5,600	2.23
<b>7314AC</b>	70	150	35	118.8	88.2	4,000	5,300	2.67
<b>7315AC</b>	75	160	37	134.4	99.8	3,800	5,000	3.1
<b>7316AC</b>	80	170	39	149.5	107.7	3,600	4,800	3.6
<b>7317AC</b>	85	180	41	154.3	122.3	3,400	4,500	4.38
<b>7318AC</b>	90	190	43	177.6	153.5	3,200	4,300	5.6
<b>7319AC</b>	95	200	45	193.3	172.6	3,200	4,200	6.6
<b>7320AC</b>	100	215	47	213.5	198.6	3,000	4,000	7.58
<b>7321AC</b>	105	225	49	226.7	216.6	2,800	3,800	8.85
<b>7322AC</b>	110	240	50	253.2	252.4	2,600	3,600	10.5
<b>7301B</b>	12	37	12	10.5	4.9	16,000	22,000	0.06
<b>7302B</b>	15	42	13	12.4	6.5	14,000	19,000	0.08
<b>7303B</b>	17	47	14	14.1	8.1	13,000	17,000	0.16
<b>7304B</b>	20	52	15	17.3	9.6	11,000	15,000	0.14
<b>7305B</b>	25	62	17	24.3	14.1	9,000	13,000	0.23
<b>7306B</b>	30	72	19	29.3	18.1	8,000	11,000	0.34
<b>7307B</b>	35	80	21	38.3	24.4	7,000	9,500	0.45
<b>7308B</b>	40	90	23	46.5	29.5	6,300	8,500	0.63
<b>7309B</b>	45	100	25	59.6	39.6	5,600	7,500	0.85
<b>7310B</b>	50	110	27	68.1	48	5,000	6,700	1.1
<b>7311B</b>	55	120	29	82.2	56.2	4,500	6,300	1.4
<b>7312B</b>	60	130	31	91.5	65.4	4,300	5,600	1.75
<b>7313B</b>	65	140	33	102.3	75.3	3,800	5,300	2.15
<b>7314B</b>	70	150	35	114.6	85.9	3,600	5,000	2.65
<b>7315B</b>	75	160	37	127.7	95.4	3,400	4,800	3.2
<b>7316B</b>	80	170	39	141.4	107.9	3,200	4,800	3.8
<b>7317B</b>	85	180	41	155.8	120.9	3,000	4,000	4.45



<b>7318B</b>	90	190	43	157.9	136.9	3,000	4,000	5.3
<b>7319B</b>	95	200	45	172	154.1	2,800	4,000	6.4
<b>7320B</b>	100	215	47	190	177.3	2,600	3,800	7.29
<b>7321B</b>	105	225	49	201.7	193.3	2,400	3,600	8.55
<b>7322B</b>	110	240	50	225.8	225.3	2,200	3,400	9.84
<b>7406C</b>	30	90	23	57.5	33.8	6,500	8,500	0.96
<b>7407C</b>	35	100	25	66.8	41.2	5,500	8,000	1.14
<b>7408C</b>	40	110	27	80.2	53.3	5,200	7,000	1.4
<b>7409C</b>	45	120	29	93.1	60.8	5,000	6,500	1.8
<b>7410C</b>	50	130	31	119.3	81	4,500	6,000	2.25
<b>7411C</b>	55	140	33	125.3	87	4,200	5,600	2.75
<b>7412C</b>	60	150	35	136.3	98.2	3,800	5,200	3.4
<b>7413C</b>	65	160	37	147.4	110.2	3,400	4,800	4.2
<b>7414C</b>	70	180	42	160.4	126.6	3,200	4,500	5.8
<b>7415C</b>	75	190	45	171.4	138.9	3,000	4,200	7
<b>7416C</b>	80	200	48	183.2	152.9	2,800	4,000	8.4
<b>7417C</b>	85	210	52	195.1	167.6	2,600	3,700	9.6
<b>7418C</b>	90	225	54	208	184.2	2,400	3,400	11.2
<b>7406AC</b>	30	90	23	55.6	32.7	6,500	8,500	0.96
<b>7407AC</b>	35	100	25	66.4	41.9	5,500	8,000	1.14
<b>7408AC</b>	40	110	27	73.7	42.1	5,200	7,000	1.4
<b>7409AC</b>	45	120	29	84.5	55.1	5,000	6,500	1.8
<b>7410AC</b>	50	130	31	115.8	78.3	4,500	6,000	2.25
<b>7411AC</b>	55	140	33	121.4	84.5	4,200	5,600	2.75
<b>7412AC</b>	60	150	35	131.8	95.3	3,800	5,200	3.4
<b>7413AC</b>	65	160	37	142.5	106.7	3,400	4,800	4.2
<b>7414AC</b>	70	180	42	154.6	122	3,200	4,500	5.8
<b>7415AC</b>	75	190	45	165.2	133.5	3,000	4,200	7
<b>7416AC</b>	80	200	48	176.5	147.2	2,800	4,000	8.4
<b>7417AC</b>	85	210	52	188	161.5	2,600	3,700	9.6
<b>7418AC</b>	90	225	54	200.3	178.1	2,400	3,400	11.2
<b>7406B</b>	30	90	23	51.4	30.1	6,000	8,000	0.9
<b>7407B</b>	35	100	25	60.2	37.9	5,000	7,500	1.1
<b>7408B</b>	40	110	27	70.1	49.1	5,000	6,500	1.35
<b>7409B</b>	45	120	29	80.7	44.1	4,500	6,000	1.75
<b>7410B</b>	50	130	31	105.3	71.2	4,000	5,500	2.1
<b>7411B</b>	55	140	33	110	76.3	3,800	5,200	2.55
<b>7412B</b>	60	150	35	119.3	86.1	3,500	4,700	3.2
<b>7413B</b>	65	160	37	128.7	96.4	3,200	4,500	4
<b>7414B</b>	70	180	42	138.7	109.6	3,000	4,200	5.55



Unit No.	Dimensions mm												Bolt Size mm	Bearing No.	Housing No.	Weight (kg)
	d	h	a	e	b	s1	s2	g	w	t	B	n				
<b>UCP201</b>	12	30.2	127	95	38	13	19	14	62	44.5	31	12.7	M10	<b>UC201</b>	<b>P203</b>	0.69
<b>UCP202</b>	15	30.2	127	95	38	13	19	14	62	44.5	31	12.7	M10	<b>UC202</b>	<b>P203</b>	0.69
<b>UCP203</b>	17	30.2	127	95	38	13	19	14	62	44.5	31	12.7	M10	<b>UC203</b>	<b>P203</b>	0.68
<b>UCP204</b>	20	33.3	127	95	38	13	19	15	71	48	34.1	14.3	M10	<b>UC204</b>	<b>P204</b>	0.66
<b>UCP205</b>	25	36.5	140	105	38	13	19	15	71	48	34.1	14.3	M10	<b>UC205</b>	<b>P205</b>	0.81
<b>UCP206</b>	30	42.9	165	121	48	17	20	17	84	53	38.1	15.9	M14	<b>UC206</b>	<b>P206</b>	1.24
<b>UCP207</b>	35	47.6	167	127	48	17	20	18	93	59.5	42.9	17.5	M14	<b>UC207</b>	<b>P207</b>	1.58
<b>UCP208</b>	40	49.2	184	137	54	17	20	18	100	69	49.2	19	M14	<b>UC208</b>	<b>P208</b>	1.89
<b>UCP209</b>	45	54.0	190	146	54	17	20	20	106	69	49.2	19	M14	<b>UC209</b>	<b>P209</b>	2.14
<b>UCP210</b>	50	57.2	200	159	60	20	23	21	113	74.5	51.6	19	M16	<b>UC210</b>	<b>P210</b>	2.66
<b>UCP211</b>	55	63.5	219	171	60	20	23	23	125	76	55.6	22.2	M16	<b>UC211</b>	<b>P211</b>	3.31
<b>UCP212</b>	60	69.8	241	184	70	20	23	25	138	89	65.1	25.4	M16	<b>UC212</b>	<b>P212</b>	4.90
<b>UCP213</b>	65	76.2	265	203	70	25	28	27	150	89	65.1	25.4	M20	<b>UC213</b>	<b>P213</b>	5.15
<b>UCP214</b>	70	79.4	266	210	72	25	28	27	156		74.6	30.2	M20	<b>UC214</b>	<b>P214</b>	6.20
<b>UCP215</b>	75	82.6	275	217	74	25	28	28	162		77.8	33.3	M20	<b>UC215</b>	<b>P215</b>	7.16
<b>UCP216</b>	80	88.9	292	232	78	25	28	30	174		82.6	33.3	M20	<b>UC216</b>	<b>P216</b>	8.10
<b>UCP217</b>	85	95.2	310	247	83	25	28	32	185		85.7	34.1	M20	<b>UC217</b>	<b>P217</b>	9.81
<b>UCP218</b>	90	101.6	327	262	88	27	30	33	198		96	39.7	M22	<b>UC218</b>	<b>P218</b>	11.96



Unit No.	Dimensions mm											Bolt Size mm	Bearing No.	Housing No.	Weight (kg)
	d	a	e	i	g	I	s	z	t	B	n				
<b>UCF201</b>	12	86	64	15	12	25.5	12	33.3	37.5	31	12.7	M10	<b>UC201</b>	<b>F204</b>	0.60
<b>UCF202</b>	15	86	64	15	12	25.5	12	33.3	37.5	31	12.7	M10	<b>UC202</b>	<b>F204</b>	0.59
<b>UCF203</b>	17	86	64	15	12	25.5	12	33.3	37.5	31	12.7	M10	<b>UC203</b>	<b>F204</b>	0.58
<b>UCF204</b>	20	86	64	15	12	25.5	12	33.3	37.5	34.1	14.3	M10	<b>UC204</b>	<b>F204</b>	0.56
<b>UCF205</b>	25	95	70	16	14	27	12	35.8	40	34.1	14.3	M10	<b>UC205</b>	<b>F205</b>	0.80
<b>UCF206</b>	30	108	83	18	14	31	12	40.2	44.5	38.1	15.9	M10	<b>UC206</b>	<b>F206</b>	1.12
<b>UCF207</b>	35	117	92	19	16	34	14	44.4	48.5	42.9	17.5	M12	<b>UC207</b>	<b>F207</b>	1.46
<b>UCF208</b>	40	130	102	21	16	36	16	51.2	55.5	49.2	19	M14	<b>UC208</b>	<b>F208</b>	1.84
<b>UCF209</b>	45	137	105	22	18	38	16	52.2	56.5	49.2	19	M14	<b>UC209</b>	<b>F209</b>	2.15
<b>UCF210</b>	50	143	111	22	18	40	16	54.6	59.5	51.6	19	M16	<b>UC210</b>	<b>F210</b>	2.42
<b>UCF211</b>	55	162	130	25	20	43	19	58.4	63	55.6	22.2	M16	<b>UC211</b>	<b>F211</b>	3.31
<b>UCF212</b>	60	175	143	29	20	48	19	68.7	73.5	65.1	25.4	M16	<b>UC212</b>	<b>F212</b>	4.28
<b>UCF213</b>	65	187	149	30	22	50	19	69.7	74.5	65.1	25.4	M16	<b>UC213</b>	<b>F213</b>	4.99
<b>UCF214</b>	70	193	152	31	22	54	19	75.4	81.5	74.6	30.2	M16	<b>UC214</b>	<b>F214</b>	5.85
<b>UCF215</b>	75	200	159	34	22	56	19	78.5	83.5	77.8	33.3	M16	<b>UC215</b>	<b>F215</b>	6.91
<b>UCF216</b>	80	208	165	34	22	58	23	83.3	88.5	82.6	33.3	M20	<b>UC216</b>	<b>F216</b>	7.50
<b>UCF217</b>	85	220	175	36	24	63	23	87.6	92.6	85.7	34.1	M20	<b>UC217</b>	<b>F217</b>	9.66
<b>UCF218</b>	90	235	187	40	24	68	23	96.3	101.5	96	39.7	M20	<b>UC218</b>	<b>F218</b>	12.06



Unit No.	Dimensions mm in.																	Bearing No.	Housing No.	Weight (kg)
	d	o	g	p	g	S	b	k	e	a	w	j	l	h	t	B	n			
<b>UCT201</b>	12	16	10	51	32	19	51	12	76	89	94	32	21	61	44.5	31	12.7	<b>UC201</b>	<b>T204</b>	0.80
<b>UCT202</b>	15	16	10	51	32	19	51	12	76	89	94	32	21	61	44.5	31	12.7	<b>UC202</b>	<b>T204</b>	0.79
<b>UCT203</b>	17	16	10	51	32	19	51	12	76	89	94	32	21	61	44.5	31	12.7	<b>UC203</b>	<b>T204</b>	0.78
<b>UCT204</b>	20	16	10	51	32	19	51	12	76	89	94	32	21	61	44.5	31	12.7	<b>UC204</b>	<b>T204</b>	0.76
<b>UCT205</b>	25	16	10	51	32	19	51	12	76	89	97	32	24	62	48	34.1	14.3	<b>UC205</b>	<b>T205</b>	0.81
<b>UCT206</b>	30	16	10	56	37	22	57	12	89	102	113	37	28	70	53	38.1	15.9	<b>UC206</b>	<b>T206</b>	1.22
<b>UCT207</b>	35	16	13	64	37	22	64	12	89	102	129	37	30	78	59.5	42.9	17.5	<b>UC207</b>	<b>T207</b>	1.44
<b>UCT208</b>	40	19	16	83	49	29	83	16	102	114	144	49	33	89	69	49.2	19	<b>UC208</b>	<b>T208</b>	2.40
<b>UCT209</b>	45	19	16	83	49	29	83	16	102	117	144	49	35	87	69	49.2	19	<b>UC209</b>	<b>T209</b>	2.36
<b>UCT210</b>	50	19	16	83	49	29	86	16	102	117	149	49	37	90	74.5	51.6	19	<b>UC210</b>	<b>T210</b>	2.43
<b>UCT211</b>	55	25	19	102	64	35	95	22	130	146	171	64	38	106	76	55.6	22.2	<b>UC211</b>	<b>T211</b>	4.11
<b>UCT212</b>	60	32	19	102	64	35	102	22	130	146	194	64	42	119	89	65.1	25.4	<b>UC212</b>	<b>T212</b>	4.97
<b>UCT213</b>	65	32	21	111	70	41	121	26	151	167	224	70	44	137	89	65.1	25.4	<b>UC213</b>	<b>T213</b>	6.65
<b>UCT214</b>	70	32	21	111	70	41	121	26	151	167	224	70	46	137		74.6	30.2	<b>UC214</b>	<b>T214</b>	7.05
<b>UCT215</b>	75	32	21	111	70	41	121	26	151	167	232	70	48	140		77.8	33.3	<b>UC215</b>	<b>T215</b>	7.41
<b>UCT216</b>	80	32	21	111	70	41	121	26	165	184	235	70	51	140		82.6	33.3	<b>UC216</b>	<b>T216</b>	8.30
<b>UCT217</b>	85	38	29	124	73	48	157	30	173	198	260	73	54	162		85.7	34.1	<b>UC217</b>	<b>T217</b>	11.00





Unit No.	Dimensions mm										Bolt Size mm	Bearing No.	Housing No.	Weight (kg)
	d	h	a	e	b	s	g	w	B	n				
<b>UCPA201</b>	12	30.2	76	52	40	M10	15	62	31	12.7	M10	<b>UC201</b>	<b>PA204</b>	0.6
<b>UCPA202</b>	15	30.2	76	52	40	M10	15	62	31	12.7	M10	<b>UC202</b>	<b>PA204</b>	0.59
<b>UCPA203</b>	17	30.2	76	52	40	M10	15	62	31	12.7	M10	<b>UC202</b>	<b>PA204</b>	0.58
<b>UCPA204</b>	20	30.2	76	52	40	M10	15	62	31	12.7	M10	<b>UC202</b>	<b>PA204</b>	0.56
<b>UCPA205</b>	25	36.5	84	56	38	M10	15	72	34.1	14.3	M10	<b>UC205</b>	<b>PA205</b>	0.83
<b>UCPA206</b>	30	42.9	94	66	50	M14	18	84	38.1	15.9	M14	<b>UC206</b>	<b>PA206</b>	1.12
<b>UCPA207</b>	35	47.6	110	80	55	M14	20	95	42.9	17.5	M14	<b>UC207</b>	<b>PA207</b>	1.48
<b>UCPA208</b>	40	49.2	116	84	58	M14	20	100	49.2	19	M14	<b>UC208</b>	<b>PA208</b>	1.89
<b>UCPA209</b>	45	54.2	120	90	60	M14	25	108	49.2	19	M14	<b>UC209</b>	<b>PA209</b>	1.98
<b>UCPA210</b>	50	57.2	130	94	64	M16	25	116	51.6	19	M16	<b>UC210</b>	<b>PA210</b>	2.16
<b>UCPA211</b>	55	63.5	140	104	66	M16	25	125	55.6	22.2	M16	<b>UC211</b>	<b>PA211</b>	3.26
<b>UCPA212</b>	60	69.9	150	114	68	M16	25	138	65.1	25.4	M16	<b>UC212</b>	<b>PA212</b>	4.19
<b>UCPA213</b>	65	76.2	160	124	70	M16	25	150	65.1	25.4	M16	<b>UC213</b>	<b>PA213</b>	



Unit No.	Dimensions mm													Bolt Size mm	Bearing No.	Housing No.	Weight (kg)
	d	a	p	e	i	s	j	k	g	f	z	B	n				
<b>UCFC201</b>	12	100	78	55.1	10	12	5	7	20.5	62	28.3	31	12.7	M10	<b>UC201</b>	<b>FC204</b>	0.73
<b>UCFC202</b>	15	100	78	55.1	10	12	5	7	20.5	62	28.3	31	12.7	M10	<b>UC202</b>	<b>FC204</b>	0.72
<b>UCFC203</b>	17	100	78	55.1	10	12	5	7	20.5	62	28.3	31	12.7	M10	<b>UC203</b>	<b>FC204</b>	0.71
<b>UCFC204</b>	20	100	78	55.1	10	12	5	7	20.5	62	28.3	31	12.7	M10	<b>UC204</b>	<b>FC204</b>	0.69
<b>UCFC205</b>	25	115	90	63.6	10	12	6	7	21	70	29.8	34.1	14.3	M10	<b>UC205</b>	<b>FC205</b>	1.00
<b>UCFC206</b>	30	125	100	70.7	10	12	8	8	23	80	32.2	38.1	15.9	M10	<b>UC206</b>	<b>FC206</b>	1.30
<b>UCFC207</b>	35	135	110	77.8	11	14	8	9	26	90	36.4	42.9	17.5	M12	<b>UC207</b>	<b>FC207</b>	1.81
<b>UCFC208</b>	40	145	120	84.8	11	14	10	9	26	100	41.2	49.2	19	M12	<b>UC208</b>	<b>FC208</b>	2.14
<b>UCFC209</b>	45	160	132	93.3	10	16	12	14	26	105	40.2	49.2	19	M14	<b>UC209</b>	<b>FC209</b>	2.68
<b>UCFC210</b>	50	165	138	97.6	10	16	12	14	28	110	42.6	51.6	19	M14	<b>UC210</b>	<b>FC210</b>	2.90
<b>UCFC211</b>	55	185	150	106.1	13	19	12	15	31	125	46.4	55.6	22.2	M16	<b>UC211</b>	<b>FC211</b>	4.01
<b>UCFC212</b>	60	195	160	113.1	17	19	12	15	36	135	56.7	65.1	25.4	M16	<b>UC212</b>	<b>FC212</b>	4.94
<b>UCFC213</b>	65	205	170	120.2	16	19	14	15	36	145	55.7	65.1	25.4	M16	<b>UC213</b>	<b>FC213</b>	5.65
<b>UCFC214</b>	70	215	177	125.1	17	19	14	18	40	150	61.4	74.6	30.2	M16	<b>UC214</b>	<b>FC214</b>	6.95
<b>UCFC215</b>	75	220	184	130.1	18	19	16	18	40	160	62.5	77.8	33.3	M16	<b>UC215</b>	<b>FC215</b>	7.56
<b>UCFC216</b>	80	240	200	141.4	18	23	16	18	42	170	67.3	82.6	33.3	M20	<b>UC216</b>	<b>FC216</b>	9.15
<b>UCFC217</b>	85	250	208	147.1	18	23	18	20	45	180	69.6	85.7	34.1	M20	<b>UC217</b>	<b>FC217</b>	10.81
<b>UCFC218</b>	90	265	220	155.5	22	23	18	20	50	190	78.3	96	39.7	M20	<b>UC218</b>	<b>FC218</b>	12.96